


**3M Telecommunications**  
*Solutions for Networks*

## Solutions for Enterprise Networks



*Numeric Content*

**3M** *Innovation*





# European Enterprise Catalogue

## Numeric Content

### as Ref.-No.

Ref.-No.	Type/Order Text	Page
(on request)	MRE 21 B8 2 x 21 ways	140
(on request)	MRE 35 B8 2 x 35 ways	140
(on request)	MRE 60 B8 2 x 60 ways	140
<b>0</b> 03-756-00500	Hinge, To connect splicing cassette and lid	84
05-00017	Lint Free Wipes	39
05-00017	Lintfree tissues	74
05-661-02600	3-pole surge arrester with integrated fail-safe	128
05-661-02800	3-pole surge arrester with integrated fail-safe	128
05-706-03900	E2000/APC 8° Pigtail 9/125, single-mode Fibre	70
05-750-14100	E2000 Simplex, metal mounting clamp	70
05-751-13400	E2000/APC coupling, single-mode	70
05-760-08000	FO-Splicing protection holder, crimp	84
05-760-08100	FO-Crimp splice protector	84
05-760-11900	FO-Splicing protection holder, shrink	84
05-760-12000	FO-Heatshrink splice protector 60 mm FSS 1	84
05-760-12100	FO-Heatshrink splice protector 45 mm FSS 1/2,4	84
<b>1</b> 12391500	Volition™ 50x50 mm Full Cover	24
15004-502 00	SID Dust cover, flat, for 10-pair modules	132
15014-500 00	SID-C Dust cover, Pitch: 22.5 mm, 100 pair	132
15014-505 00	SID-C Dust cover, Pitch: 17.5 mm, 100 pair	132
<b>2</b> 2529-H	Fibrok™ Universal Splice Holder	78
2529-H	FO-Splicing holder Fibrok™ Universal	84
2529	Fibrok™ Universal, single fibre mechanical splice	78
2530	Fibrok™ Universal Tool Kit Complete	78
2531	Fibrok™ Universal Tool Kit Without Cleaver	78
2552SA	2552SA	93
263X	Polishing film 0,02µm, single-mode (light yellow)	73
267575VA	Volition™ Simple Surface Mounted Box, 255x80x48 for 4 sockets	24
267576VA	Volition™ Simple Surface Mounted Box, 365x80x48 for 7 sockets	24
267585VA	Volition™ Simple Surface Mounted Box, 155x80x48 for 2 sockets	24
27181200	Volition™ 19" x 2U x 8 Plate for 8 x RJ45 Giga Outlets	21
29010300	M5 Cage nut	21
29025-503 30	FO Lid, For splicing cassette, colour: RAL 9001 (cream white) PU: 50 pcs	84
29025-503 31	FO Lid, For splicing cassette, colour: RAL 9001 (cream white) PU: 10 pcs	84
29026-500 30	FO-Splicing cassette, Incl. splice protective holder for 12 crimp splice protectors and cable management	84
29026-500 31	FO-Splicing cassette, Incl. strain relief and cable management	84
29031-000 30	FO-Strain relief	84
<b>3</b> 33023800	1 outlet Volition™ RJ45 wall mount ISDN socket, standard without cable screen termination ISDN facility	159
330243VA	ISDN socket with 2.5 mm <sup>2</sup> earth post for cable screen continuity	159
330244VA	ISDN socket with 2.5 mm <sup>2</sup> earth post for cable screen continuity	159
374061VA	MRE 35 B8 - steel door	140
374062VA	MRE 60 B8 - steel door	140
39081-728 00	3-pole surge arrester without fail-safe	128
37406000	MRE 21 B8 - altuglass door	140
37406300	MRE 21 B8 - steel door	140
37406500	MRE 35 B8 - altuglass door	140
37406600	MRE 60 B8 - altuglass door	140
<b>4</b> 40018-018 30	2K Dummy front plate, 7DU	97
40026-515 30	GF-19" Subrack, 3 HU, 84 DU	97
40036-521 30	FO 19" Patch cord guiding panel, 1 HU	97
40040-502 30	FO 19" Loose tube storage tray, 1 HU	97
40395-507 57	Multimode 50/125µm with ST, 12 Fibres	96
40395-507 67	Multimode 62,5/125µm with ST, 12 Fibres	96
40395-511 30	Single-mode 9/125µm with E2000-APC 8°, 12 Fibres	96
40395-514 45	Single-mode 9/125µm with SC-APC 8°, 12 Fibres	96
40395-514 55	Multimode 50/125µm with SC, 12 Fibres	96
40395-514 65	Multimode 62,5/125µm with SC, 12 Fibres	96

Ref.-No.	Type/Order Text	Page
40395-523 57	Multimode 50/125µm with SC-Duplex, 12 Fibres, horizontal	96
40395-523 67	Multimode 62,5/125µm with SC-Duplex, 12 Fibres	96
40395-546 45	Single-mode 9/125µm with SC-PC, 12 Fibres	96
41096-562 00	DFS 700 mm	143
41096-562 00	1 x DFS 700 mm	143
41096-563 00	DFS 1000 mm	144
41096-563 00	1 x DFS 1000 mm	144
41096-564 00	DFS 1000 mm	145
41096-564 00	1 x DFS 1000 mm	145
41096-565 00	QRS 700	143
41096-565 00	3 x mounting rail kit QRS 700	143
41096-566 00	QRS 1000	144
41096-566 00	3 x mounting rail kit QRS 1000	144
41096-567 00	QRS 1600	145
41096-567 00	3 x mounting rail kit QRS 1000	145
41096-568 25	WBS 550 mm	143
41096-568 25	WBS 550 mm	144
41096-568 25	WBS 550 mm	145
41096-569 25	WBS 750 mm	143
41096-569 25	1 x wall mounting rail kit	143
41096-569 25	WBS 750 mm	144
41096-569 25	1 x wall mounting rail kit	144
41096-569 25	WBS 750 mm	145
41096-569 25	1 x wall mounting rail kit	145
43018-678 30	Vollition™ 19" x 1U Patch Panel, 24 ports, Qmax, single shield	19
43018-684 30	Vollition™ 19" x 1U Patch Panel, 24 ports, Qmax, total shield	19
461X	Polishing film 9µm, pre-polish LC-Hotmelt	73
463392VA	CIPE 2 x 124 ways	141
463393VA	CIPE 2 x 124 ways	141
<b>5</b> 50096-505 00	"Q2" lock	148
50-100-00300	VKA 3 K	148
50-510-11000	VKK 1	147
50-520-01000	VKK 2	147
50-540-01000	VKK 3	147
50179-506 00	Kit for additional fastening of cover	147
52096-519 00	VKA-Monitoring switch	91
52096-523 00	Q2 lock kit for VKA 2	150
52096-519 00	VKA-Monitoring switch	90
52096-519 00	VKA-Monitoring switch	92
52096-519 00	Monitoring switch	150
52096-520 00	Q3 lock kit for VKA 4, VKA 8 and VKA 12	150
52096-521 00	VKA lock kit Q3	91
52096-521 00	Q3 lock kit for VKA 2	150
52096-522 00	Q2 lock kit for VKA 4, VKA 8 and VKA 12	150
52096-523 00	VKA lock kit Q2	91
52096-526 00	VKA lock kit Q15	91
52096-533 00	Wire Guide Hooks SID-C	151
52138-009 30	FO connector mounting plates holders 6 ST/FC	91
52138-010 30	FO connector holders 24 ST/FC	92
52138-012 30	FO connector holders 12 SC-Duplex	92
52138-013 30	FO connector holders 24 E2000 / SC-Simplex	92
52138-016 30	FO connector mounting plates 6 SC duplex	90
52138-018 30	FO connector mounting plates 12 ST/FC	90
52138-019 30	FO connector mounting plates 12 E2000/SC simplex	90
52-300-00000	VKA 2 /DIN	151
52-300-00025	VKA 2 / SID-C	152
52-302-00100	VKA 4 / DIN	151
52-302-00200	VKA 8 / DIN	151
52-302-00300	VKA 12 / DIN	151
52-303-00000	VKA 2/GF-EFM for 12 splice connections	91
52-303-00030	VKA 2/GF for 24 splice connections	90
52-303-00100	VKA 4/GF for 48 splice connections	92
52-303-00200	VKA 8/GF for 96 splice connections	92
56312100	CIPE 2 x 90 ways	141
56312200	CIPE 2 x 90 ways	141
<b>6</b> 60-516-04600	Vollition™ German Flush mounted 50x50 Faceplate, 2 ports, Giga, RAL1013, beige	17
60-516-04625	Vollition™ German Flush mounted 50x50 Faceplate, 2 ports, Giga, RAL9010, white	17
60-516-07700	Vollition™ Flush mounted Socket, 2 ports, central fixing, shielded, Qmax III, RAL1013, beige	17
60-516-07725	Vollition™ Flush mounted Socket, 2 ports, central fixing, shielded, Qmax III, RAL9010, white	17
60-516-07800	Vollition™ Flush mounted Socket, 2 ports, shielded, Qmax III, RAL1013, beige	17
60-516-07825	Vollition™ Flush mounted Socket, 2 ports, shielded, Qmax III, RAL9010, white	17
60-516-08200	Vollition™ Flush mounted Socket, 2 ports, central fixing, Qmax III, RAL1013, beige	17
60-516-08225	Vollition™ Flush mounted Socket, 2 ports, central fixing, Qmax III, RAL9010, white	17
60-516-08300	Vollition™ Flush mounted Socket, 2 ports, Qmax III, RAL1013, beige	17

Ref.-No.	Type/Order Text	Page
60-516-08325	Volition™ Flush mounted Socket, 2 ports, Qmax III, RAL9010, white	17
6100-B	ST connector - Hot Melt - multimode, Black boot	62
6100-B1K	ST connector - Hot Melt - multimode, Black boot	62
6100-R	ST connector - Hot Melt - multimode, Red boot	62
6100-R1K	ST connector - Hot Melt - multimode, Red boot	62
6100-W	ST connector - Hot Melt - multimode, White boot	62
6100-W1K	ST connector - Hot Melt - multimode, White boot	62
6105-B	ST connector - Epoxy - multimode, Black boot	62
6105-B1K	ST connector - Epoxy - multimode, Black boot	62
6105-R	ST connector - Epoxy - multimode, Red boot	62
6112	ST Coupling, multimode, for D hole mounting, spacer and union nut included	63
6112-1K	ST Coupling, multimode, for D hole mounting, spacer and union nut included	63
6157	Conversion Kit: Epoxy to Hot Melt Classic	72
6190	Connector holder for ST Hot Melt connectors	74
6192 A	Polishing film 2µm, "one step" (254 X Classic)	73
6192-B	Polishing film, 2µm	75
6200	FC-Connector, Hot Melt, multimode, white boot	68
6300-W	SC-Connector Hot Melt, multimode, white boot	64
6300-W1K-S	SC-Connector Hot Melt, multimode, white boot	64
6310	SC Coupling, multimode	65
6313	SC Duplex Coupling, multimode	65
6323	Hot Melt oven, 230V	74
6355-U	Extension Kit Hot Melt to UHT connectors	72
6361	Universal Hotmelt Termination Kit	71
6365-CC	Classic Hot Melt consumeables kit	72
6365-CU	UHT Consumeable kit	72
6365-PP	Polishing pad, round, handpolish, Classic HotMelt	73
6365-UH	Universal connector holder	74
6602-D	LC-Connector Hot Melt, multimode, Duplex Clip, beige	67
6602-S	LC-Connector Hot Melt, multimode, Simplex, beige	67
661X-0,5S	Polishing film 0,5µm, diamond (light gray)	73
6650-JW	Weight for polishing jig, handpolish, HotMelt LC	74
6650-LC	Extension kit LC Hot Melt	72
6650-LH	Connector holder for LC Hot Melt connectors	74
6650-LJ	Polishing jig, handpolish, HotMelt LC	73
6661-DC	LC-Coupling, multimode, Duplex, beige plastic housing in SC-Simplex format	67
6851-E	HotMelt Autopolisher, 230V	75
6900	SC-Connector Crimplok, single-mode, black boot	64
6901	ST connector - Crimplok - multimode, Grey boot	62
6955	Crimplok assembly case	76
6955-T	Activation Tool, ST/SC	76
<b>7</b> 79004-506 00	Marking caps, red	133
79004-506 26	Marking caps, green	133
79004-506 29	Marking caps, black	133
79004-507 00	Cover for 10-pair SID module transparent	131
79004-507 26	Cover for 10-pair SID module green	131
79004-507 31	Cover for 10-pair SID module blue	131
79027-524 00	Scissor kit for Impact tool	131
79036-500 30	Plug-on, wire guide housing, 2x4 left/right	126
79036-501 30	Plug-on, wire guide housing, 1x8 right handed	126
79054-552 00	Test cord, 2-poles	130
79054-561 00	Patch cord, 4-poles, 1 m	130
79054-561 25	Patch cord, 4-poles, 2 m	130
79054-561 26	Patch cord, 4-poles, 4 m	130
79054-567 00	Test cord, flex, 4-poles	130
79054-570 00	Adapter cord SID-QSA	130
79054-571 00	Cord flex 4-poles single ended	130
79058-502 00	Switching adapter for 1 pair	132
79058-503 00	Switching adapter for 10 pair	132
79072-510 00	Earthing Plug	132
79072-511 00	Connecting Plug	132
79072-512 00	ab Loop plug for connection of RX / TX lines	126
79096-533 00	Test plug kit, 4-poles	130
79096-534 00	Earth connector kit for the SID-CD 10/20 pair strips	132
79096-562 25	SID-C FlexiRail QRS	145
79096-562 25	3 x SID-C Flexirail QRS	145
79096-569 25	SID-C FlexiRail QRS	143
79096-570 25	Quante™ SID™-C FlexiRail QRS	144
79096-570 25	3 x SID-C Flexirail QRS	144
79096-583 00	3 x Quante™ SID™-C Flexirail QRS	143
79101-553 00	SID-C connection module for 10 pair	122
79101-553 35	SID-C jelly filled version with dust cover for 10 pair	122
79101-559 00	SID-CD connection strip for 10 pairs	125
79101-561 00	SID-C connection module for 8 pair	122

Ref.-No.	Type/Order Text	Page
79101-562 00	SID-CD connection strip for 8 pairs	125
79101-567 00	SID-C earthing module for 40 wires	123
79101-571 00	SID-CD connection strip for 20 pairs	125
79101-588 00	SID-CT connection module for 8 pair	124
79101-589 00	SID-CT connection module for 10 pair	124
79101-591 00	SID-CT earthing module for 40 wires	124
79103-534 00	SID-C disconnection module for 10 pair	122
79103-534 35	SID-C jelly filled version with dust cover for 10 pair	122
79103-538 00	SID-CD disconnection strip for 10 pairs	125
79103-540 00	SID-C disconnection module for 8 pair	122
79103-541 00	SID-CD disconnection strip for 8 pairs	125
79103-547 00	SID-CD disconnection strip for 20 pairs	125
79103-557 00	SID-CT disconnection module for 10 pair	124
79103-564 00	SID-CT disconnection module for 8 pair	124
79103-576 30	SID 8xabs Disconnection module 8xabs with 2x4 left/right	126
79103-577 30	SID 8xabs disconnection module 8xabs with label holder	126
79104-505 00	SID-SPP 230 V/G	129
79104-507 00	SID-SPP 185 V/GFS	129
79104-508 00	SID-SPP 230 V/GS	129
79104-510 00	SID-SPP 230V /G	129
79104-511 00	SID-SPP 230V / GSI	129
79105-500 00	SID-C switching module for 10 pair	123
79105-501 00	SID-C switching module for 8 pair	123
79105-502 00	SID-CT switching module for 8 pair	124
79105-503 00	SID-CT switching module for 10 pair	124
79114-536 00	Earthing Rail SID	131
79122-543 00	Dummy plug for 1 pair, red	133
79114-542 00	SID-SPP earthing rail SID-C	129
79114-542 00	Earthing Rail	132
79114-544 00	SID-SPP earthing rail SID-CD	129
79114-557 00	SID-SPP earthing rail SID-CT	129
79122-543 26	Dummy plug for 1 pair, green	133
79122-543 29	Dummy plug for 1 pair, black	133
79122-544 00	Disconnection plug for 1 pair, red	133
79122-544 25	Disconnection plug for 1 pair, white	133
79122-544 30	Disconnection plug for 1 pair, brown	133
79122-545 00	Disconnection plug for 5 pair, red	133
79122-545 30	Disconnection plug for 5 pair, brown	133
79126-510 00	Overvoltage protection magazine for SID-C	128
79126-511 00	Overvoltage protection magazine for SID-CD	128
79126-512 00	Overvoltage protection magazine for SID-CT	128
79156-516 00	Label holder	131
79156-517 00	Labelling frame	131
79156-518 00	Module label holder with earthing socket	131
79156-519 00	Module label holder without earthing socket	131
79156-521 30	Label holder for SID 8x3 abc module	131
79169-510 00	Marking strip for 10 pair, allowing testing and disconnection, red	133
79169-510 26	Marking strip for 10 pair, allowing testing and disconnection, green	133
79169-510 28	Marking strip for 10 pair, allowing testing and disconnection, grey	133
79169-510 29	Marking strip for 10 pair, allowing testing and disconnection, black	133
79169-517 26	Cover strips for 10 pair, for disconnection modules	133
79169-517 28	Cover strips for 10 pair, for connection modules	133
79397-512 00	SID-standard insertion tool	131
79397-515 00	Extraction tool	128
79397-519 00	SID-comfort tool	131
<b>8</b> 80-6105-7226-7	T&B Cleaver	78
8100-YS	ST connector - Hot Melt - single-mode, Yellow boot	62
8106	ST connector Epoxy - single-mode, Yellow boot	62
8119	ST Coupling, single-mode, for D hole mounting, spacer and union nut included	63
8203	FC-Connector, Epoxy, single-mode, white boot	68
8206-FC/APC	FC/APC Connector, Epoxy, single-mode, green boot	68
8208	FC-Connector, Ultra High Temperature Hot Melt, single-mode, blue boot	68
8208-U1K	FC-Connector, Ultra High Temperature Hot Melt, single-mode, blue boot	68
8211	FC-Coupling, single-mode	69
8211-APC	FC-APC-Coupling, single-mode	69
8306	SC-Connector Epoxy, single-mode, white boot	64
8306-SC/APC	SC/APC-Connector, single-mode, green boot	64
8308-U	SC-Connector Ultra High Temperature Hot Melt, single-mode, blue boot	64
8308-U1K	SC-Connector Ultra High Temperature Hot Melt, single-mode, blue boot	64
8310	SC Coupling, single-mode	65
8310-G	SC/APC Coupling, single-mode	65
8313	SC Duplex Coupling, single-mode	65
8365-PP	Polishing pad 11,5 x 14 cm, soft, for UHT connectors	73
8602-D	LC-Connector Hot Melt, single-mode, Duplex Clip, blue	67

Ref.-No.	Type/Order Text	Page
8602-S	LC-Connector Hot Melt, single-mode, Simplex, blue	67
863X-0,02S	Polishing film 0,5µm, final polish (frosted)	73
8661-DC	LC-Coupling, single-mode, Duplex, blue plastic housing in SC-Simplex format	67
8662-SC	LC-Coupling, single-mode, Simplex, blue plastic housing	67
8662-SC	LC-Coupling, single-mode, Simplex, blue plastic housing	67
8892	Polishing jig HotMelt, handpolish, ST, SC, FC	73
8900	SC-Connector Crimplok, multimode, black boot	64
8901	ST connector - Crimplok - single-mode, Blue Boot	62
<b>A</b> AAM00-AU0002	ST Pigtail 9/125, single-mode Fibre, yellow, easy strip	63
AAMAM-AT0001	ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	82
AAMAM-AT0002	ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	82
AAMAM-AT0003	ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	82
AAMAM-AT0005	ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	82
AAMDA-AT0001	ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	82
AAMDA-AT0002	ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	82
AAMDA-AT0003	ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	82
AAMDA-AT0005	ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	82
AAMUL3	ST connector Epoxy - single-mode, Blue boot	62
ABP00-AU0002	SC APC 9° Pigtail 9/125, single-mode Fibre	66
ADA00-AU0002	SC Pigtail 9/125, single-mode Fibre	66
ADADA-AT0001	SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	82
ADADA-AT0002	SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	82
ADADA-AT0003	SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	82
ADADA-AT0005	SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	82
ADE00-AU0002	SC APC 8° Pigtail 9/125, single-mode Fibre	66
ADVOO-AU0002	LC Pigtail 9/125, single-mode, Yellow, length: 2 m	67
ADWOO-AU0002	LC/APC Pigtail 9/125, single-mode, Yellow, length: 2 m	67
AEN00-AU0002	FC-Pigtail 9/125, single-mode Fibre	69
AENWL-3	FC-Connector, Epoxy, single-mode, white boot	68
AEPDA-AT0001	SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	83
AEPDA-AT0002	SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	83
AEPDA-AT0003	SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	83
AEPDA-AT0005	SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	83
AEPEP-AT0001	SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	83
AEPEP-AT0002	SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	83
AEPEP-AT0003	SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	83
AEPEP-AT0005	SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	83
AEPGL-3	SC/APC-Connector, single-mode, green boot	64
AEX00-AU0002	FC-APC 8° Pigtail 9/125, single-mode Fibre	69
AEXGL-3	FC/APC Connector, Epoxy, single-mode, green boot	68
<b>B</b> BAN00-ZK0002	ST Pigtail 50/125, multimode Fibre, green, easy strip	63
BANAN-AX0001	ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	79
BANAN-AX0002	ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	79
BANAN-AX0003	ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	79
BANAN-AX0005	ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	79
BANDB-AX0001	ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	80
BANDB-AX0002	ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	80
BANDB-AX0003	ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	80
BANDB-AX0005	ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	80
BANMT-CT0001	MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	80
BANMT-CT0002	MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	80
BANMT-CT0003	MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	80
BANMT-CT0005	MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	80
BDB00-AP0002	SC Pigtail 62.5/125, single-mode Fibre	66
BDB00-ZK0002	SC Pigtail 50/125, multimode Fibre	66
BDB00-ZO0002	SC Pigtail 50/125, multimode OM3	66
BDBDB-AX0001	SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	79
BDBDB-AX0002	SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	79
BDBDB-AX0003	SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	79
BDBDB-AX0005	SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	79
BDBDB-CB0001	SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	79
BDBDB-CB0002	SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	79
BDBDB-CB0003	SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	79
BDBDB-CB0005	SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	79
BDBDU-AX0001	SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	81
BDBDU-AX0002	SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	81
BDBDU-AX0003	SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	81
BDBDU-AX0005	SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	81
BDBDU-CB0001	SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	81
BDBDU-CB0002	SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	81
BDBDU-CB0003	SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	81
BDBDU-CB0005	SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	81
BDBMT-CT0001	MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	80
BDBMT-CT0002	MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	80

Ref.-No.	Type/Order Text	Page
BDBMT-CT0003	MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	80
BDBMT-CT0005	MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	80
BDBOO-AP0002	LC-Pigtail 62,5/125, multimode, Blue, length: 2 m	67
BDUDU-AX0001	LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	81
BDUDU-AX0002	LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	81
BDUDU-AX0003	LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	81
BDUDU-AX0005	LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	81
BDUDU-CB0001	LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	81
BDUDU-CB0002	LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	81
BDUDU-CB0003	LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	81
BDUDU-CB0005	LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	81
BDUOO-CB0002	LC-Duplex Pigtail 50/125, multimode OM3, Green, length: 2 m	67
BDUOO-CT0002	LC-Duplex Pigtail 50/125, multimode, Green, length: 2 m	67
BDUOO-ZK0002	LC-Pigtail 50/125, multimode, Green, length: 2 m	67
BDUOO-ZO0002	LC-Pigtail 50/125, multimode OM3, Green, length: 2 m	67
BNA00-AP0002	ST Pigtail 62.5/125, multimode Fibre, blue, easy strip	63
<b>C</b> C211691A	Flush mount socket 85 x 85 mm face plate, white	157
C211707A	RJ11-2 contact wall mount socket	157
C211732A	RJ11-4 contact telephone socket with gel	157
C211738A	Flush mount socket 71 x 116 mm face plate with dummy plug, ivory	157
C211739A	RJ11-4 contact wall mount socket	157
C211741A	4 contacts RJ11 socket	157
C211744A	Flush mount socket 71 x 116 mm face plate, ivory, equipped	157
C211749A	4 contacts RJ11 socket gel filled	157
C211750A	Flush mount socket 85 x 85 mm face plate, white, equipped	157
C211751A	Flush mount socket 85 x 85 mm face plate with dummy plug, white	157
C211752A	RJ11-4 contact telephone socket with gel	157
C211754A	RJ11-6 contact wall mount socket with gel	157
C220673B	Label-holder numbered from 1 to 8 or from 1 to 10, Base 8 pair	116
C220674B	Label-holder numbered from 1 to 8 or from 1 to 10, Base 10 pair (PU: 20 elements)	116
C222014B	Serial test cord 4 wires with banana plugs	116
C222020B	Serial test cord 4 wires with banana plugs, silver coated	116
C222024B	PCB type patch cord 4 wire, 3 m	116
C222025B	PCB type patch cord 2 wire, 3 m	116
C222037A	Current protection - 2 fuses (1.25 A/250V)	115
C222048B	Parallel test cord 2 wires with banana plugs	116
C222053A	Combined insertion/extraction tool for protection magazine	115
C222058A	Multiple parallel test plug, 8 pair	116
C222059A	Multiple parallel test plug, 10 pair	116
C222710A	2 pair bus terminal	109
C222903A	Quante™ RCP Side identification label	108
C222903A	Label-holder with blank label (space for 3 digits)	116
C222909A	Quante™ RCP Disconnection Plug	107
C222909A	Disconnection plugs	116
C222916B	Quante™ RCP Identification tab	108
C222916B	Bag of 100 marking caps: (black) marked from 0 to 9	117
C222917A	Quante™ RCP Identification cap	108
C222917A	Bag of 100 marking caps marked from 0 to 9	117
C222918A	Label-holder with marked label from 000 to 100	116
C222920A	Bag of 100 marking caps, Black	117
C222921A	Bag of 100 marking caps, Grey	117
C222922A	Bag of 100 marking caps, Red	117
C222923A	Bag of 100 marking caps, Yellow	117
C222924A	Bag of 100 marking caps, Blue	117
C222925A	Bag of 100 marking caps, Green	117
C222950A	Bag of 10 swivelling label-holders, Base 8 pair	116
C222951A	Bag of 10 swivelling label-holders, Base 10 pair	116
C222955A	Dust cover for 8 pair modules or blocks Length: 2 m	117
C222956A	Dust cover for 10 pair modules or blocks Length: 2 m	117
C222961A	Dust cover for 10 pair modules or blocks Length: 5 x 16 ways, i.e. 50 pair	117
C222963A	Dust cover for 10 pair modules or blocks Length: 10 x 16 ways, i.e. 100 pair	117
C223765A	Miscellaneous	117
C226000A	Backmount frames for STF boxes, set of 2 x 1 way backmount frame	154
C226001A	Backmount frames for STF boxes, set of 2 x 2 way backmount frame	154
C226002A	Backmount frames for STF boxes, set of 2 x 3 way backmount frame	154
C226003A	Backmount frames for STF boxes, set of 2 x 6 way backmount frame	154
C226004A	Backmount frames for STF boxes, set of 2 x 11 way backmount frame	154
C226005A	Backmount frames for STF boxes, set of 2 x 21 way backmount frame	154
C226020A	STF box, 80 pair	154
C226021A	STF box, 160 pair	154
C226022A	STF box, 100 pair	154
C226023A	STF box, 200 pair	154
C227322A	STB C2 10	154
C227323A	STB C2 20	154

Ref.-No.	Type/Order Text	Page
C227336A	STB C2 10 P	154
C227337A	STB C2 20 P	154
C227342B	STB C2 30	154
C227344B	STB C2 40	154
C227346B	STB C2 50	154
C227355A	STB C2 5	154
C227367A	STB S2 10 P	154
C227368A	STB S2 20 P	154
C231039A	Surge arresters for protection magazine and tool 3-pole arrester with fail-safe, 250 V	115
C231040A	Surge arresters for protection magazine and tool 3-pole arrester with fail-safe, 350 V	115
C232011A	MRE 35 B10 2 x 35 ways	140
C232014A	MRE 21 B10 2 x 21 ways	140
C232015A	MRE 60 B10 2 x 60 ways	140
C232280A	Set of 2 x 2 metre backmount frame for Quante STG, 10 pair	141
C232281A	Set of 2 x 2 metre backmount frame for Quante STG, 8 pair	141
C232740A	CIPE 2 x 18 ways	141
C232741A	CIPE 2 x 28 ways	141
C232742A	CIPE 2 x 41 ways	141
C232743A	CIPE 2 x 65 ways	141
C232750A	CIPE 2 x 18 ways	141
C232751A	CIPE 2 x 28 ways	141
C232752A	CIPE 2 x 41 ways	141
C232753A	CIPE 2 x 65 ways	141
C233725B	Magazine for STG with protection facility without arresters, 8 pair	115
C233726B	Magazine for STG with protection facility without arresters, 10 pair	115
C233727C	Magazine with 0.75 m earthing cord without arrester, 8 pair	115
C233728B	Magazine with 0.75 m earthing cord without arrester, 10 pair	115
C233736B	Magazine for STG with 250 V arrester with fail-safe, 8 pair	115
C233737B	Magazine for STG with 350 V arrester with fail-safe, 8 pair	115
C233740B	Magazine for STG with 250 V arrester with fail-safe, 10 pair	115
C233741B	Magazine for STG with 350 V arrester with fail-safe, 10 pair	115
C233744B	Magazine with 0.75 m earthing cord with 250 V arrester with fail-safe, 8 pair	115
C233745B	Magazine with 0.75 m earthing cord with 350 V arrester with fail-safe, 8 pair	115
C233748B	Magazine with 0.75 m earthing cord with 250 V arrester with fail-safe, 10 pair	115
C233749B	Magazine with 0.75 m earthing cord with 350 V arrester with fail-safe, 10 pair	115
C233796A	Single pair protection plug, SOR PU 1C	115
C233797A	Single pair protection plug, SOR PU 2C	115
C233798A	Single pair protection plug, SOR PU 3C (varistors)	115
C233799A	Single pair protection plug, SOR PU 4C (diodes)	115
C233888A	STB boxes with 10 pair protection magazine and earth cord	154
C234030A	Multi purpose connection tool	109
C234030A	Impact tools for IDC system STG	117
C234037A	Impact tools for IDC system STG, QSA and system 71	117
C234043A	Set of 10 spare blades for STG system IDC tool	117
C234049A	Impact tools for IDC system STG, SID, QSA and system 71	117
C242610A	Quante™ RCP Serial Test Plug	107
C242611A	PCB type patch cord 2 wire, 1 m (single-sided PCB)	116
C242612A	PCB type patch cord 2 wire, 2 m (single-sided PCB)	116
C242613A	Quante™ RCP Parallel Test Plug	107
C242628A	Quante™ RCP Viewing Plug, 100 Ohm in series on the line, two-coloured diode, 2V power reduction, colour: grey	107
C242628A	Serial display plug/1 network line	116
C242629A	Quante™ RCP Viewing Plug, PABX, 1 pair powered by 48V and common +, two-coloured diode, colour: yellow	107
C252800A	Quante™ STG 2000 disconnection module, STG2 C2 8	112
C252801A	Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 8 P	112
C252802A	Quante™ STG 2000 disconnection module with single pair protection facility, STG2 C2 8 PU	112
C252803A	Quante™ STG 2000 disconnection module, STG2 C2 K8	113
C252804A	Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 K8 P	113
C252806A	Quante™ STG 2000 connection module, STG2 U2 8	112
C252807A	Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 8 P	112
C252809A	Quante™ STG 2000 connection module, STG2 U2 K8	113
C252810A	Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 K8 P	113
C252812A	Quante™ STG 2000 switching module, STG2 O2 8	112
C252813A	Quante™ STG 2000 switching module with multipair protection facility, STG2 O2 8 P	112
C252814A	Quante™ STG 2000 switching module with single pair protection facility, STG2 O2 8 PU	112
C252818A	Quante™ STG 2000 disconnection module, STG2 C2 10	112
C252819A	Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 10 P	112
C252820A	Quante™ STG 2000 disconnection module with single pair protection facility, STG2 C2 10 PU	112
C252821A	Quante™ STG 2000 disconnection module, STG2 C2 K10	113
C252822A	Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 K10 P	113
C252824A	Quante™ STG 2000 connection module, STG2 U2 10	112
C252825A	Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 10 P	112
C252827A	Quante™ STG 2000 connection module, STG2 U2 K10	113
C252828A	Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 K10 P	113
C252830A	Quante™ STG 2000 switching module, STG2 O2 10	112

Ref.-No.	Type/Order Text	Page
C252831A	Quante™ STG 2000 switching module with multipair protection facility, STG2 O2 10 P	112
C252832A	Quante™ STG 2000 switching module with single pair protection facility, STG2 O2 10 PU	112
<b>D</b> DE-0100-0900-4	Tubing Kit	75
<b>F</b> FIPTOSC-70	FO-Wall Outlet, For 2 SC-Duplex	94
FIPTOST-70	FO-Wall Outlet, For 2 ST-simplex	94
<b>M</b> M004723A	Serial test cord (3m)	117
M004724A	Parallel test cord (3m)	117
M004725A	Serial test plug (CKD)	117
M004726A	Parallel test plug (CKD)	117
MPA025DB	Serial test plug, 4 wires 1 plug + 4 cable terminals	116
MPA025EB	4 wire cord 1 plug on each end	116
MPA0781A	Parallel test plug for RJ 11 connector	116
MPA078BA	Termination support device, Base 8	117
MPA078OA	Termination support device, Base 10	117
<b>N</b> N301023B	2 outlet Volition™ RJ45 wall mount ISDN socket	159
N461529A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 24 ST or FC	89
N461554A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 24 SC, E2000 or EC	89
N461555A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 48 SC, E2000 or EC	89
N461559A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 36 ST or FC	89
N461560A	BCCO II 19", 2U Rack for managing 48 splices BCCO II	89
N461571A	BCCO II 19", 1U Rack for managing	89
N461572A	BCCO II 19", 1U Standard storage rack	89
N461580A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 12 ST or FC	89
N461582A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 48 ST or FC	89
N461592A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 12 SC, E2000 or EC	89
N461593A	BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 36 SC, E2000 or EC	89
N461596A	BCCO II 19", 1U Rack for managing 24 splices	89
N461617A	BCCO II 19", 1U Storage shelf	89
N631071A	MRE 21 B8 2 x 21 ways	140
N631072A	MRE 21 B10 2 x 21 ways	140
N631073A	MRE 35 B8 2 x 35 ways	140
N631074A	MRE 35 B10 2 x 35 ways	140
N631075A	MRE 60 B8 2 x 60 ways	140
N631076A	MRE 60 B10 2 x 60 ways	140
N711498B	Accessories: Pack of 2 adapter supports for ETSI Racks 1U	89
N711499B	Accessories: Pack of 2 adapter supports for ETSI Racks 2U	89
NN330240	1 outlet Volition™ RJ45 flush mount ISDN socket, standard type without earth post	159
<b>P</b> P24940AA	Set of 5 vertical jumper rings 50 x 55 mm	141
P26665AA	Horizontal routing rings to be mounted on backmount frame, small size 38 x 50	141
P26675AA	Horizontal routing rings to be mounted on backmount frame, large size 50 x 70	141
P28070AA	Volition™ 19" x 2U x 50 Box for 7 x RJ45 50x50 Giga Outlets	21
P28230A5	1 outlet Volition™ RJ45 45 x 45 face plate, ISDN socket	159
P28240AA	Volition™ U.K. Faceplate for 50x50 Socket, Giga	18
P28250AA	Volition™ 45x45mm Full Cover	23
P28251AA	Volition™ 22,5x45mm Half Cover	23
P28295AA	Volition™ Stylish U.K. Faceplate, 2 ports, Giga	18
P28323JA	Coloured Removable Flanges for modules 22.5x45, 45x45 mm Yellow	16
P28323BE	Coloured Removable Flanges for modules 22.5x45, 45x45 mm Blue	16
P28323RE	Coloured Removable Flanges for modules 22.5x45, 45x45 mm Red	16
P28323VE	Coloured Removable Flanges for modules 22.5x45, 45x45 mm Green	16
P28363AA	Volition™ American Faceplate for 2 x RJ45 Giga Jacks	18
P28366AA	Volition™ American Faceplate for 4 x RJ45 Giga Jacks	18
P28366AA	Volition™ American Faceplate for 4 x RJ45 Giga Jacks	18
P28410AA	Volition™ 65x65x48 Surface Mounted Single Box, RAL 9011	24
P28420AA	Volition™ Single Box, RAL 9011, 65x65x48 mm, Surface mounted	22
P28420AA	Box for wall mount application (empty)	159
P28452AA	Volition™ Simple Surface Mounted Box, 140x80x48 for 2 sockets	23
P28454AA	Volition™ Simple Surface Mounted Box, 230x80x48 for 4 sockets	23
P28457AA	Volition™ Simple Surface Mounted Box, 365x80x48 for 7 sockets	23
P28463AA	Volition™ Double Surface Mounted Box, 185x120x60 for 2x3 sockets	23
P28465AA	Volition™ Double Surface Mounted Box, 275x120x60 for 2x5 sockets	23
P28467AA	Volition™ Double Surface Mounted Box, 365x120x60 for 2x7 sockets	23
P28610AA	Volition™ Double Surface Mounted Box, 185x120x60 for 2x3 sockets	24
P28611AA	Volition™ Double Surface Mounted Box, 275x120x60 for 2x5 sockets	24
P28612AA	Volition™ Double Surface Mounted Box, 365x120x60 for 2x7 sockets	24
P28690AA	Volition™ Surface Mounted Box, RAL 9011, 150x80x42 mm	22
P28691AA	Volition™ Lid for Surface Mounted Box, RAL 9011, 150x80x9.5 mm	22
P28692AA	Volition™ Module Support	22
P28693AA	Volition™ Insulating Partition (ABS), 39,5x72,5x2mm	23
P28695AA	Volition™ Surface Mounted Box, RAL 9011, 205x80x42 mm	22
P28696AA	Volition™ Lid for Surface Mounted Box, RAL 9011, 205x80x9.5mm	22
P28740AA	Volition™ Swiss Faceplate, 2 ports, Giga	18
P28753AB	Volition™ RJ45 Giga Jack, 22,5x45 mm	16
P28756AB	Volition™ RJ45 Giga Jack, 45x45 mm	16

Ref.-No.	Type/Order Text	Page
P28770AB	Volition™ RJ45 Giga Jack, Cat 5e , UTP, light grey	15
P28771AB	Volition™ RJ45 Giga Jack, Cat 5e, FTP, light grey	15
P28772AB	Volition™ RJ45 Giga Jack, Cat 5e, STP, light grey and metallic shield	15
P29320A5	Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 1 pair, 1,0 m	138
P29323BA	Point to Point ISDN 100 Ohm Adapter -	25
P29324BA	Token Ring-Numeris / Token Ring-Numeris 8-pin	25
P29325BA	Token Ring-Numeris / Token Ring-Numeris 9-pin	25
P29332A5	Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 2 pair, 2,0 m	138
P29332F5	Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 2 pair, 1,0 m	138
P29340B5	Ethernet 100Base Tx / Ethernet 100Base Tx 8-pin	25
P29341B5	Ethernet 100Base Tx / Ethernet 100Base Tx 9-pin	25
P29342BA	Ethernet 10Base Tx / Ethernet 10Base Tx 9-pin	25
P29343BA	Ethernet 10Base Tx / Ethernet 10Base Tx 8-pin	25
P29344B5	Ethernet 100Base Tx / Numeric Telephone 8-pin	25
P29345B5	Ethernet 100Base Tx / Numeric Telephone 9-pin	25
P29359BA	Ethernet 10Base Tx / Y Wiring Telephone 8-pin	25
P29361A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 1,0 m	136
P29362A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 2,0 m	136
P29811A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 1,0 m	137
P29812A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 2,0 m	137
P33067AA	M6 Cage nut	21
P33120AA	Volition™ 19" x 2U x 50 Box for 8 x RJ45 45x45 Giga Outlets	21
P33182AA	Volition™ Colour Port Cover, white	20
P33201AA	1U Plain Cover, Black	14
P33202AA	2U Plain Cover, Black	14
P33203AA	3U Plain Cover, Black	14
P33240BE	Volition™ Port Identification Bezel, Giga, Blue	20
P33240JA	Volition™ Port Identification Bezel, Giga, Yellow	20
P33240RE	Volition™ Port Identification Bezel, Giga, Red	20
P33240VE	Volition™ Port Identification Bezel, Giga, Green	20
P33255AA	Volition™ 19"x 1U x 70mm Patch Panel, 16 ports, Giga, brushed alu	19
P33265AA	Volition™ 19"x 2U x 100mm Patch Panel, 32 ports, Giga, brushed alu	19
P33275AA	Volition™ 19"x 1U x 100mm Patch Panel, 24 ports, Giga, brushed alu	19
P33285AA	Volition™ 19"x 2U x 130mm Patch Panel, 48 ports, Giga, brushed alu	19
P33310AA	1U Patch Cord Shelf Management Panel, Black	14
P33325AA	1U Shelf, Black	14
P33330AA	2U Patch Cord Shelf Management Panel, Black	14
P33340AA	1U Plastic Rings, Black	14
P33345AA	2U Plastic Rings, Black	14
P33355AA	Volition™ 19"x 1U x 70mm Patch Panel, 16 ports, Giga, black alu	19
P33365AA	Volition™ 19"x 2U x 100mm Patch Panel, 32 ports, Giga, black alu	19
P33375AA	Volition™ 19"x 1U x 100mm Patch Panel, 24 ports, Giga, black alu	19
P33385AA	Volition™ 19"x 2U x 130mm Patch Panel, 48 ports, Giga, black alu	19
P33410AA	1U Patch Cord Management Panel, 5 Plastic Rings, Black	14
P33415AA	Storage kit,160x100x38mm	20
P33420AA	SC adapter, 24x19x3mm	20
P33425AA	ST adapter, 24x19x3mm	20
P39116A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 0,5 m	134
P39125A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 1,0 m	134
P39125D5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 0,5 m	134
P39126A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 1,0 m	134
P39128A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 1,0 m	134
P39128D5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 0,5 m	134
P39135A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 2,0 m	134
P39135J5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 3,0 m	134
P39135L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 4,0 m	134
P39135M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 5,0 m	134
P39136A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 2,0 m	134
P39138A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 2,0 m	134
P39146A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 3,0 m	134
P39146L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 4,0 m	134
P39146M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 5,0 m	134
P39148A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 3,0 m	134
P39148L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 4,0 m	134
P39148M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 5,0 m	134
P39362A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 2,0 m	138
P39362D5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 0,5 m	138
P39362F5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 1,0 m	138
P39364A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 4 pair, 2,0 m	138
P39366A5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 568A cabling - 2 pair, 2,0 m	135
P39368A5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 568A cabling - 4 pair, 2,0 m	135
P39370A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 2,0 m	136
P39370D5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 0,5 m	136
P39372A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 3,0 m	136

Ref.-No.	Type/Order Text	Page
P39374A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 2,0 m	136
P39374D5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 0,5 m	136
P39376A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 3,0 m	136
P39378A5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 7 - 8 cabling - 1 pair, 2,0 m	135
P39378F5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 7 - 8 cabling - 1 pair, 1,0 m	135
P39380A5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 4 - 5 cabling - 1 pair, 2,0 m	135
P39380F5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 4 - 5 cabling - 1 pair, 1,0 m	135
P39412A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 0,5 m	137
P39421A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 1,0 m	137
P39421D5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 0,5 m	137
P39422A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 1,0 m	137
P39424A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 1,0 m	137
P39424D5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 0,5 m	137
P39431A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 2,0 m	137
P39431J5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 3,0 m	137
P39431L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 4,0 m	137
P39431M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 1 pair, 5,0 m	137
P39432A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 2,0 m	137
P39434A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 2,0 m	137
P39442A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 3,0 m	137
P39442L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 4,0 m	137
P39442M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 2 pair, 5,0 m	137
P39444A5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 3,0 m	137
P39444L5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 4,0 m	137
P39444M5	Quante™ CBE - CBE Patch Cords, LSOH Sheath - 4 pair, 5,0 m	137
P39472A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 1,5 m	136
P39474A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 1,5 m	136
P39482A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 2,0 m	136
P39484A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 2,0 m	136
P39492A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 3,0 m	136
P39494A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 3,0 m	136
P39801A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 0,5 m	135
P39802A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 1 pair, 1,0 m	135
P39803A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 0,5 m	135
P39804A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 1,0 m	135
P39805A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 2,0 m	135
P39806A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 1,0 m	135
P39807A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 2,0 m	135
P39808A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 3,0 m	135
P39809A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 3,0 m	135
P39813A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 0,5 m	137
P39814A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 1,0 m	137
P39815A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 2,0 m	137
P39816A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 1,0 m	137
P39817A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 2,0 m	137
P39818A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 4 pair, 3,0 m	137
P39819A5	Quante™ CBE - CBE Patch Cords, PVC Sheath - 2 pair, 3,0 m	137
P39821A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 2,0 m	135
P39822A5	Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 3,0 m	135
P39823A5	Quante™ CBE - RJ45 Patch Cords, LSOH Sheath - 568A cabling - 4 pair, 2,0 m	135
P39824A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 1,0 m	138
P39824D5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 0,5 m	138
P39825A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 2,0 m	138
P39826A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 4 pair, 2,0 m	138
P39826D5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 4 pair, 0,5 m	138
P39827A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 7 - 8 cabling - 1 pair, 2,0 m	138
P39827F5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 7 - 8 cabling - 1 pair, 1,0 m	138
P39829A5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 4 - 5 cabling - 1 pair, 2,0 m	138
P39829F5	Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 4 - 5 cabling - 1 pair, 1,0 m	138
P39835A5	Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 2 pair, 1,0 m	138
P39836A5	Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 2 pair, 2,0 m	138
P39837A5	Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 4 pair, 1,0 m	138
P39838A5	Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 4 pair, 2,0 m	138
P44223AA	Quante™ RCP Label holder 8-pair	108
P44340AA	50-pin, RJ-21 female connector	106
P44380AA	4 Way RJ-45 support	109
P44430AA	4 Way ST and SC support	109
P44503AB	Bonding Comb	107
P44505AA	Quante™ RCP Label holder 4-pair	108
P44506AA	Quante™ RCP Rotating label holder 8-pair	108
P44510AA	Bonding Strip	107
P44560BE	1 pair blanking plug	109
P44619AA	Bonding Springs for Drains	107
P44620AA	Quante™ RCP Half-size label holder	108

Ref.-No.	Type/Order Text	Page
P44640AA	Quante™ RCP Side label holder	108
P44902DR	Straight channel wire guide for 8-pairs	109
P44902IN	Inverted channel wire guide for 8-pairs	109
P44902QT	Inverted channel wire guide for 4 quarters	109
P44927AA	Quante™ RCP 1-pair cord for 2 and 4 wire ELS	105
P45362A5	4 modular jacks for Ethernet 100 Base Tx SCQ cabling, ivory	106
P45363AA	BCS 2 Cabling, yellow	106
P45368A5	2 modular jacks RJ45 SCQ cabling, ivory	106
P45370AA	Quante™ RCP Line re-routing module, 48V version	105
P45371AA	Quante™ RCP Line re-routing module, 12V version	105
P45400AA	BCS 2 Cabling Core in 2/Shielding in 1 yellow	106
P45401AA	SCQ Cabling Core in 1/Shielding in 2 ivory	106
P45628AA	Quante™ RCP 25-pin Sub D male	106
P45629AA	Quante™ RCP 25-pin Sub D pins female	106
P45630AA	Quante™ RCP 15-pin Sub D male	106
P45631AA	Quante™ RCP 15-pin Sub D pins female	106
P45632AA	Quante™ RCP 9-pin Sub D male	106
P45633AA	Quante™ RCP 9-pin Sub D pins female	106
P45722AA	Quante™ RCP Computer protection module	104
P45734DH	Quante™ RCP shielded rear-cable modules, Ivory	103
P45809DH	Quante™ RCP shielded rear-cable modules, Red	103
P45839DH	Quante™ RCP shielded rear-cable modules, Green	103
P45840DH	Quante™ RCP shielded rear-cable modules, Yellow	103
P45920DH	Quante™ RCP shielded rear-cable modules, Blue	103
P45922AA	Quante™ RCP Telephone and special links protection module	104
P45941AA	Quante™ RCP module for 4 fuses	105
P45975AA	Quante™ RCP bipole module, protection and viewing 2 pairs (lines)	104
P45990AA	Quante™ RCP Viewing / call / occupation module	105
P46734CE	Quante™ RCP cabling modules for solid wires (side cabling), Ivory	103
P46734DA	Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Ivory	103
P46734DF	Quante™ RCP cabling modules for solid wires (rear cabling), Ivory	103
P46809CE	Quante™ RCP cabling modules for solid wires (side cabling), Red	103
P46809DA	Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Red	103
P46809DF	Quante™ RCP cabling modules for solid wires (rear cabling), Red	103
P46839DA	Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Green	103
P46839DF	Quante™ RCP cabling modules for solid wires (rear cabling), Green	103
P46839QE	Quante™ RCP cabling modules for solid wires (side cabling), Green, with spring and 2 wire guide channels	103
P46840CE	Quante™ RCP cabling modules for solid wires (side cabling), Yellow	103
P46840DA	Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Yellow	103
P46840DF	Quante™ RCP cabling modules for solid wires (rear cabling), Yellow	103
P46920CE	Quante™ RCP cabling modules for solid wires (side cabling), Blue, with spring and 2 wire guide channels	103
P46920DA	Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Blue	103
P46920DF	Quante™ RCP cabling modules for solid wires (rear cabling), Blue	103
P6008AAA	Wall mount support for 1 backmount frame	141
P6093AAA	Wall mount support for 2 backmount frame	141
<b>S</b> SP-00503	Polishing film 2µm, oval with adhesive back	76
SP-00504	Connector holder for SC Hot Melt connectors	74
SP-00505	Connector holder for FC Hot Melt connectors	74
SPP3-E-1CD	FO-patch panel 12 SC Duplex	85
SPP3-E-1C-DM	Multimode, FO-patch panel 12 SC Duplex MM-Couplings	85
SPP3-E-1C-DMP5	Multimode, 50/125µm, FO-patch panel 12 SC Duplex	86
SPP3-E-1C-DMP6	Multimode, 62,5/125µm, FO-patch panel 12 SC Duplex	86
SPP3-E-1CS	FO-patch panel 12 SC Simplex or 12 LC Duplex	85
SPP3-E-1C-SP9	Single-mode 9/125µm, FO-patch panel 12 ST	86
SPP3-E-1C-SS	Single-mode, FO-patch panel 12 SC Duplex SM-Couplings	85
SPP3-E-1T	FO-patch panel 12 ST	85
SPP3-E-1T-M	Multimode, FO-patch panel 12 ST MM-Couplings	85
SPP3-E-1T-MP5	Multimode, 50/125µm, FO-patch panel 12 ST	86
SPP3-E-1T-UP6	Multimode, 62,5/125µm, FO-patch panel 12 ST	86
SPP3-E-2CD	FO-patch panel 24 SC Duplex	85
SPP3-E-2C-DM	Multimode, FO-patch panel 24 SC Duplex MM-Couplings	85
SPP3-E-2CS	FO-patch panel 24 SC Simplex or 24 LC Duplex	85
SPP3-E-2C-SS	Single-mode, FO-patch panel 24 SC Duplex SM-Couplings	85
SPP3-E-2T	FO-patch panel 24 ST	85
SPP3-E-2T-M	Multimode, FO-patch panel 24 ST MM-Couplings	85
SPP3-E-2T-MP5	Multimode, 50/125µm, FO-patch panel 24 ST	86
SPP3-E-2T-UP6	Multimode, 62,5/125µm, FO-patch panel 24 ST	86
SPP3-E-6CD	FO-patch panel 6 SC Duplex	85
SPP3-E-6C-DM	Multimode, FO-patch panel 6 SC Duplex MM-Couplings	85
SPP3-E-6C-DMP5	Multimode, 50/125µm, FO-patch panel 6 SC Duplex	86
SPP3-E-6C-DMP6	Multimode, 62,5/125µm, FO-patch panel 6 SC Duplex	86
<b>U</b> Upon request	Polishing pad 11,5 x 14 cm, for LC HotMelt connectors	73
<b>V</b> VOL-0001	VF-45 Socket, Multimode	37
VOL-0002	VF-45 Socket, Single-mode	37

Ref.-No.	Type/Order Text	Page
VOL-0011	Fibreholder for VF-45 Socket, Multimode and Single-mode	37
VOL-0201-EUR	10 Base T (RJ45) to 10 Base FL, VF-45™ Port, 850nm, VF-45™ Port	58
VOL-0255C	Wall Outlet for 2 x VF-45 Socket, Plastic, cream, similar to RAL 1013, Size (H x W x D): 80 x 80 x 28 mm	41
VOL-0255W	Wall Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size (H x W x D): 80 x 80 x 28 mm	41
VOL-0256W	Wall Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size (H x W x D): 86 x 86 x 28 mm	41
VOL-0257W	Flush Mount Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size: 45 x 90 mm	41
VOL-0300	Volition™ Blanking Plug, keystone, white	14
VOL-0300B	Blanking plug for VF-45 Ports, Bright White	42
VOL-0300BK	Volition™ Blanking Plug, keystone, black	14
VOL-0300BK	Blanking plug for VF-45 Ports, Black	42
VOL-0350B	Furniture Outlet for 2 x VF-45 Socket, Plastic Black	41
VOL-0350G	Furniture Outlet for 2 x VF-45 Socket, Plastic Grey	41
VOL-0350W	Furniture Outlet for 2 x VF-45 Socket, Plastic White	41
VOL-0406B	Wall Patch Panel, 6 Ports, 12 Fibre	42
VOL-0412B	Wall Patch Panel, 12 Ports, 24 Fibre	42
VOL-0424B	Wall Patch Panel, 24 Ports, 48 Fibre	42
VOL-0560B	Kevlar Scissors	39
VOL-0560C	Micromodule Stripper	39
VOL-0560D	Fibre Stripper, 250µ coating	39
VOL-0560F	Polishing Puck Assembly	39
VOL-0560G	Polishing Puck Face	39
VOL-0560N	Cotton Swabs	39
VOL-0560R	Bottle, Alcohol (empty)	39
VOL-0560R	Bottel for isoprophyl alcohol	74
VOL-0560W	Cleaning Wires	39
VOL-0562H	Polishing Station Sub Assembly	38
VOL-0562J	Quick Polish Cleave Button	39
VOL-0562K	Lapping Film 2 x 5 sheets	39
VOL-0562M	Tool Pouch	38
VOL-0563	VF-45 Quick Install Termination Kit	38
VOL-0563A	VF-45 Field Mount Plug Activation Tool	37
VOL-0563M	Microscope, dual light	38
VOL-0570A	VF-45 Cleaning Fluid	40
VOL-0570B	VF-45 Mechanical Plug Cleaner	40
VOL-0570C	Cleaning Tissues for VF-45 Plug Cleaner	40
VOL-0573	VF-45 Maintenance Cleaning Kit	40
VOL-0712	Volition™ Single Gang Faceplate, 2 ports, keystone, office white	10
VOL-0712B	Volition™ Single Gang Faceplate, 2 ports, keystone, bright white	10
VOL-0714	Volition™ Single Gang Faceplate, 4 ports, keystone, office white	10
VOL-0714B	Volition™ Single Gang Faceplate, 4 ports, keystone, bright white	10
VOL-0790BL	Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Blue	12
VOL-0790GR	Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Green	12
VOL-0790RD	Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Red	12
VOL-0790YL	Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Yellow	12
VOL-430-ES	Patch Panel, 24 Ports, 1U	42
VOL-432-ES	Patch Panel, 48 Ports, 2U	42
VOL-499-E	Patchcord Management - Panel - 1	42
VOL-560A	Jacket Stripper	39
VOL-5EFL32-M	Volition™ Cat 5 Backbone Cable, FTP, LSOH, 32 pairs, 1 m	30
VOL-5EFL4-1000	Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 1000 m Drum	28
VOL-5EFL4-305	Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 305 m Box	28
VOL-5EFL4-500	Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 500 m Drum	28
VOL-5EFL8-1000	Volition™ Cat 5e Cable, FTP, LSOH, 2x4 pairs, 1000 m Drum	28
VOL-5EFL8-500	Volition™ Cat 5e Cable, FTP, LSOH, 2x4 pairs, 500 m Drum	28
VOL-5EFL-L0.5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m	35
VOL-5EFL-L0.5-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, blue	36
VOL-5EFL-L0.5-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, green	36
VOL-5EFL-L0.5-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, red	36
VOL-5EFL-L0.5-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, yellow	36
VOL-5EFL-L1	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m	35
VOL-5EFL-L1-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, blue	36
VOL-5EFL-L1-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, green	36
VOL-5EFL-L1-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, red	36
VOL-5EFL-L1-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, yellow	36
VOL-5EFL-L2	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m	35
VOL-5EFL-L2-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, blue	36
VOL-5EFL-L2-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, green	36
VOL-5EFL-L2-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, red	36
VOL-5EFL-L2-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, yellow	36
VOL-5EFL-L3	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m	35
VOL-5EFL-L3-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, blue	36
VOL-5EFL-L3-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, green	36
VOL-5EFL-L3-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, red	36
VOL-5EFL-L3-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, yellow	36

Ref.-No.	Type/Order Text	Page
VOL-5EFL-L5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m	35
VOL-5EFL-L5-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, blue	36
VOL-5EFL-L5-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, green	36
VOL-5EFL-L5-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, red	36
VOL-5EFL-L5-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, yellow	36
VOL-5EFP4-1000	Volition™ Cat 5e Cable, FTP, PVC, 4 pairs, 1000 m Drum	28
VOL-5EFP4-305	Volition™ Cat 5e Cable, FTP, PVC, 4 pairs, 305 m Box	28
VOL-5ESFL-L0.5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 0,5 m	36
VOL-5ESFL-L1	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 1 m	36
VOL-5ESFL-L2	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 2 m	36
VOL-5ESFL-L3	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 3 m	36
VOL-5ESFL-L5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 5 m	36
VOL-5EUL4-1000	Volition™ Cat 5e Cable, UTP, LSOH, 4 pairs, 1000 m Drum	28
VOL-5EUL4-305	Volition™ Cat 5e Cable, UTP, LSOH, 4 pairs, 305 m Box	28
VOL-5EUL8-1000	Volition™ Cat 5e Cable, UTP, LSOH, 2x4 pairs, 1000 m Drum	28
VOL-5EUL-L0.5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m	34
VOL-5EUL-L0.5-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, blue	35
VOL-5EUL-L0.5-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, green	35
VOL-5EUL-L0.5-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, red	35
VOL-5EUL-L0.5-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, yellow	35
VOL-5EUL-L1	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m	34
VOL-5EUL-L1-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, blue	35
VOL-5EUL-L1-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, green	35
VOL-5EUL-L1-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, red	35
VOL-5EUL-L1-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, yellow	35
VOL-5EUL-L2	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m	34
VOL-5EUL-L2-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, blue	35
VOL-5EUL-L2-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, green	35
VOL-5EUL-L2-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, red	35
VOL-5EUL-L2-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, yellow	35
VOL-5EUL-L3	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m	34
VOL-5EUL-L3-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, blue	35
VOL-5EUL-L3-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, green	35
VOL-5EUL-L3-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, red	35
VOL-5EUL-L3-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, yellow	35
VOL-5EUL-L5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m	34
VOL-5EUL-L5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 5 m	34
VOL-5EUL-L5-B	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, blue	35
VOL-5EUL-L5-GR	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, green	35
VOL-5EUL-L5-R	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, red	35
VOL-5EUL-L5-Y	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, yellow	35
VOL-5EUP4-1000	Volition™ Cat 5e Cable, UTP, PVC, 4 pairs, 1000 m Drum	28
VOL-5EUP4-305	Volition™ Cat 5e Cable, UTP, PVC, 4 pairs, 305 m Box	28
VOL-5EUP8-1000	Volition™ Cat 5e Cable, UTP, PVC, 2x4 pairs, 1000 m Drum	28
VOL-5EUP-L0.5	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 0,5 m	34
VOL-5EUP-L1	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 1 m	34
VOL-5EUP-L2	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 2 m	34
VOL-5EUP-L3	Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 3 m	34
VOL-5UP25-M	Volition™ Cat 5 Backbone Cable, UTP, PVC, 25 pairs, 1 m	30
VOL-5UP50-M	Volition™ Cat 5 Backbone Cable, UTP, PVC, 50 pairs, 1 m	30
VOL-6FFL4-1000	Volition™ Cat 6 Cable, FFTP, LSOH, 4 pairs, 1000 m Drum	29
VOL-6FFL4-500	Volition™ Cat 6 Cable, FFTP, LSOH, 4 pairs, 500 m Drum	29
VOL-6FFL8-1000	Volition™ Cat 6 Cable, FFTP, LSOH, 2x4 pairs, 1000 m Drum	29
VOL-6FFL8-500	Volition™ Cat 6 Cable, FFTP, LSOH, 2x4 pairs, 500 m Drum	29
VOL-6FL4-1000	Volition™ Cat 6 Cable, FTP, LSOH, 4 pairs, 1000 m Drum	29
VOL-6FL4-500	Volition™ Cat 6 Cable, FTP, LSOH, 4 pairs, 500 m Drum	29
VOL-6FL8-1000	Volition™ Cat 6 Cable, FTP, LSOH, 2x4 pairs, 1000 m Drum	29
VOL-6FL8-500	Volition™ Cat 6 Cable, FTP, LSOH, 2x4 pairs, 500 m Drum	29
VOL-6FP4-1000	Volition™ Cat 6 Cable, FTP, PVC, 4 pairs, 1000 m Drum	29
VOL-6SSL-L0.5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5 m	31
VOL-6SSL-L0.5-B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, blue	32
VOL-6SSL-L0.5-GR	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, green	32
VOL-6SSL-L0.5-R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, red	32
VOL-6SSL-L0.5W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, white	32
VOL-6SSL-L0.5-Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, yellow	32
VOL-6SSL-L1	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1 m	31
VOL-6SSL-L1-B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, blue	32
VOL-6SSL-L1-GR	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, green	32
VOL-6SSL-L1-R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, red	32
VOL-6SSL-L1W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, white	32
VOL-6SSL-L1-Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, yellow	32
VOL-6SSL-L2	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2 m	31
VOL-6SSL-L2-B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, blue	32
VOL-6SSL-L2-GR	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, green	32

Ref.-No.	Type/Order Text	Page
VOL-6SSL-L2-R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, red	32
VOL-6SSL-L2W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, white	32
VOL-6SSL-L2-Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, yellow	32
VOL-6SSL-L3	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3 m	31
VOL-6SSL-L3-B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, blue	32
VOL-6SSL-L3-GR	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, green	32
VOL-6SSL-L3-R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, red	32
VOL-6SSL-L3W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, white	32
VOL-6SSL-L3-Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, yellow	32
VOL-6SSL-L5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5 m	31
VOL-6SSL-L5-B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, blue	32
VOL-6SSL-L5-GR	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, green	32
VOL-6SSL-L5-R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, red	32
VOL-6SSL-L5W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, white	32
VOL-6SSL-L5-Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, yellow	32
VOL-6UL4-1000	Volition™ Cat 6 Cable, UTP, LSOH, 4 pairs, 1000 m Drum	29
VOL-6UL4-305	Volition™ Cat 6 Cable, UTP, LSOH, 4 pairs, 305 m Box	29
VOL-6UL8-1000	Volition™ Cat 6 Cable, UTP, LSOH, 2x4 pairs, 1000 m Drum	29
VOL-6UL-L0.5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m	31
VOL-6UL-L0.5B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, blue	33
VOL-6UL-L0.5G	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, green	33
VOL-6UL-L0.5R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, red	33
VOL-6UL-L0.5Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, yellow	33
VOL-6UL-L1	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m	31
VOL-6UL-L1,5B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1,5m, blue	33
VOL-6UL-L1,5W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1,5 m, white	33
VOL-6UL-L10W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 10 m, white	33
VOL-6UL-L1B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, blue	33
VOL-6UL-L1G	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, green	33
VOL-6UL-L1R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, red	33
VOL-6UL-L1W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, white	33
VOL-6UL-L1Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, yellow	33
VOL-6UL-L2	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m	31
VOL-6UL-L2B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, blue	33
VOL-6UL-L2G	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, green	33
VOL-6UL-L2R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, red	33
VOL-6UL-L2W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, white	33
VOL-6UL-L2Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, yellow	33
VOL-6UL-L3	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m	31
VOL-6UL-L3B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, blue	33
VOL-6UL-L3G	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, green	33
VOL-6UL-L3R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, red	33
VOL-6UL-L3W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, white	33
VOL-6UL-L3Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, yellow	33
VOL-6UL-L5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m	31
VOL-6UL-L5B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, blue	33
VOL-6UL-L5G	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, green	33
VOL-6UL-L5R	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, red	33
VOL-6UL-L5W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, white	33
VOL-6UL-L5Y	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, yellow	33
VOL-6UL-L7B	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 7 m, blue	33
VOL-6UL-L7W	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 7 m, white	33
VOL-6UP4-1000	Volition™ Cat 6 Cable, UTP, PVC, 4 pairs, 1000 m Drum	29
VOL-6UP4-305	Volition™ Cat 6 Cable, UTP, PVC, 4 pairs, 305 m Box	29
VOL-6UP8-1000	Volition™ Cat 6 Cable, UTP, PVC, 2x4 pairs, 1000 m Drum	29
VOL-6UP-L0.5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 0,5 m	31
VOL-6UP-L0.5-BK	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5m, black	32
VOL-6UP-L1	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 1 m	31
VOL-6UP-L1-BK	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1m, black	32
VOL-6UP-L2-BK	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2m, black	32
VOL-6UP-L2	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 2 m	31
VOL-6UP-L3	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 3 m	31
VOL-6UP-L3-BK	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3m, black	32
VOL-6UP-L5	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 5 m	31
VOL-6UP-L5-BK	Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5m, black	32
VOL-7SSL4-1000	Volition™ Cat 7 Cable, SFTP, LSOH, 4 pairs, 1000 m Drum	30
VOL-7SSL4-500	Volition™ Cat 7 Cable, SFTP, LSOH, 4 pairs, 500 m Drum	30
VOL-7SSL8-1000	Volition™ Cat 7 Cable, SFTP, LSOH, 2x4 pairs, 1000 m Drum	30
VOL-7SSL8-500	Volition™ Cat 7 Cable, SFTP, LSOH, 2x4 pairs, 500 m Drum	30
VOL-B512L0,5	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 12 Fibres, Length: 500 m	44
VOL-B512L1	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 12 Fibres, Length: 1000 m	44
VOL-B524L0,5	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 24 Fibres, Length: 500 m	44
VOL-B524L1	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 24 Fibres, Length: 1000 m	44
VOL-B548L0,5	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 48 Fibres, Length: 500 m	44

Ref.-No.	Type/Order Text	Page
VOL-B548L1	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 48 Fibres, Length: 1000 m	44
VOL-B56L1	Indoor Cable for horizontal and backbone cabling, 50/125/250µm, LSZH 50/125, 6 Fibres, Length: 1000 m	44
VOL-B572L0,5	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 72 Fibres, Length: 500 m	44
VOL-B572L1	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 72 Fibres, Length: 1000 m	44
VOL-B596L0,5	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 96 Fibres, Length: 500 m	44
VOL-B596L1	Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 96 Fibres, Length: 1000 m	44
VOL-B612L0,5	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 12 Fibres, Length: 500 m	45
VOL-B612L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 12 Fibres, Length: 1000 m	45
VOL-B624L0,5	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 24 Fibres, Length: 500 m	45
VOL-B624L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 24 Fibres, Length: 1000 m	45
VOL-B648L0,5	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 48 Fibres, Length: 500 m	45
VOL-B648L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 48 Fibres, Length: 1000 m	45
VOL-B672L0,5	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 72 Fibres, Length: 500 m	45
VOL-B672L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 72 Fibres, Length: 1000 m	45
VOL-B696L0,5	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 96 Fibres, Length: 500 m	45
VOL-B696L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 96 Fibres, Length: 1000 m	45
VOL-B912L1	Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 12 Fibres, Length: 1000 m	46
VOL-B924L1	Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 24 Fibres, Length: 1000 m	46
VOL-B948L1	Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 48 Fibres, Length: 1000 m	46
VOL-B96L1	Indoor Cable for horizontal and backbone cabling, 9/125/250µm, LSZH 9/125, 6 Fibres, Length: 1000 m	46
VOL-B972L1	Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 72 Fibres, Length: 1000 m	46
VOL-B996L1	Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 96 Fibres, Length: 1000 m	46
VOL-C5L1	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 1 m	54
VOL-C5L1,5	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 1,5 m	54
VOL-C5L15	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 15 m	54
VOL-C5L2	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 2 m	54
VOL-C5L3	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 3 m	54
VOL-C5L30	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 30 m	54
VOL-C5L5	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 5 m	54
VOL-C5L8	VF-45™-Connector to SC-Connector, 50/125µm, LSZH, Length: 8 m	54
VOL-C6L1	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 1 m	55
VOL-C6L1,5	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 1,5 m	55
VOL-C6L15	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 15 m	55
VOL-C6L2	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 2 m	55
VOL-C6L3	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 3 m	55
VOL-C6L30	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 30 m	55
VOL-C6L5	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 5 m	55
VOL-C6L8	VF-45™-Connector to SC-Connector, 62,5/125µm, LSZH, Length: 8 m	55
VOL-C9L1	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 1 m	56
VOL-C9L1,5	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 1,5 m	56
VOL-C9L15	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 15 m	56
VOL-C9L2	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 2 m	56
VOL-C9L3	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 3 m	56
VOL-C9L30	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 30 m	56
VOL-C9L5	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 5 m	56
VOL-C9L8	VF-45™-Connector to SC-Connector, 9/125µm, LSZH, Length: 8 m	56
VOL-F5V2R1COW	Volition™ American Faceplate for 2 x RJ45 Giga Jacks	18
VOL-FMP512	VF-45 Field Mount Plug, 50/125µm	37
VOL-FMP612	VF-45 Field Mount Plug, 62,5/125µm	37
VOL-FP2M-F1K	Volition™ 22,5x45 Faceplate, 1 port, keystone, white	10
VOL-FP4M-F1K	Volition™ 45x45 Faceplate, 1 port, keystone, white	10
VOL-FP4M-F2K	Volition™ 45x45 Faceplate, 2 ports, keystone, white	10
VOL-FPUK-1G	Volition™ Classic U.K. Faceplate, 1 port, Giga	18
VOL-FPUK-1K	Volition™ U.K. Single Gang Faceplate, 1 port, keystone, white	10
VOL-FPUK-2G	Volition™ Classic U.K. Faceplate, 2 ports, Giga	18
VOL-FPUK-2K	Volition™ U.K. Single Gang Faceplate, 2 ports, keystone, white	10
VOL-H52L1	Indoor horizontal cable, 50/125/250µm, LSZH 50/125, 1 x 2 Fibres, Length: 1000 m	44
VOL-H54L1	Indoor horizontal cable, 50/125/250µm, LSZH 50/125, 2 x 2 Fibres, Length: 1000 m	44
VOL-H54L1MC	Indoor horizontal cable OM3, 50/125/250µm, LSZH 50/125, 2 x 2 Fibres, Length: 1000 m	44
VOL-H62L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 1 x 2 Fibres, Length: 1000 m	45
VOL-H64L1	Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 2 x 2 Fibres, Length: 1000 m	45
VOL-H66L1	Indoor Cable for horizontal and backbone cabling, 62,5/125/250µm, LSZH 62,5/125, 6 Fibres, Length: 1000 m	45
VOL-H92L1	Indoor horizontal cable, 9/125/250µm, LSZH 9/125, 1 x 2 Fibres, Length: 1000 m	46
VOL-H94L1	Indoor horizontal cable, 9/125/250µm, LSZH 9/125, 2 x 2 Fibres, Length: 1000 m	46
VOL-IO A512	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 12 fibres	48
VOL-IO A5144	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 144 fibres	48
VOL-IO A52	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 2 fibres	47
VOL-IO A524	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 24 fibres	48
VOL-IO A54	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 4 fibres	47
VOL-IO A548	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 48 fibres	48
VOL-IO A56	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 6 fibres	47
VOL-IO A572	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 72 fibres	48
VOL-IO A58	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 8 fibres	47
VOL-IO A596	Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 96 fibres	48



Ref.-No.	Type/Order Text	Page
VOL-IO S98	Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 8 fibres	53
VOL-IO S996	Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 96 fibres	53
VOL-L5L1	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 1 m	54
VOL-L5L1,5	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 1,5 m	54
VOL-L5L2	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 2 m	54
VOL-L5L3	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 3m	54
VOL-L5L5	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 5 m	54
VOL-L5L8	VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 8 m	54
VOL-M100FX-AN	100 Base-TX (RJ45) to 100 Base-FX, VF-45™ Port, 1300nm	58
VOL-M10FL-12	10 Base T (RJ45) to 10 Base FL, VF-45™ Ports, 850nm, 12x VF-45™ Ports	58
VOL-M10FL-24	10 Base T (RJ45) to 10 Base FL, VF-45™ Ports, 850nm, 24x VF-45™ Ports	58
VOL-M5L1	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 1 m	54
VOL-M5L15	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 15 m	54
VOL-M5L2	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 2 m	54
VOL-M5L3	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 3 m	54
VOL-M5L35	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 35 m	54
VOL-M5L5	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 5 m	54
VOL-M5L8	VF-45™-Connector to MTRJ-Connector, 50/125µm, LSZH, Length: 8 m	54
VOL-M6L1	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 1 m	55
VOL-M6L10	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 10 m	55
VOL-M6L15	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 15 m	55
VOL-M6L2	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 2 m	55
VOL-M6L3	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 3 m	55
VOL-M6L5	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 5 m	55
VOL-M6L8	VF-45™-Connector to MTRJ-Connector, 62,5/125µm, LSZH, Length: 8 m	55
VOL-M9L1	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 1 m	56
VOL-M9L10	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 10 m	56
VOL-M9L2	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 2 m	56
VOL-M9L3	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 3 m	56
VOL-M9L5	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 5 m	56
VOL-M9L8	VF-45™-Connector to MTRJ-Connector, 9/125µm, LSZH, Length: 8 m	56
VOL-N100VF+TX	VOL-N100VF+TX, 2Port, 10/100MB NIC, PCI Bus	59
VOL-N100VF+TX-R	VOL-N100VF+TX-R, 2Port, 10/100MB NIC, PCI Bus	59
VOL-OCK5E-F	Volition™ RJ45 K5e Jack, Cat 5e, FTP, white	9
VOL-OCK5E-FB	Volition™ RJ45 K5e Jack, Cat 5e, FTP, white , bulk	9
VOL-OCK5E-F-BK	Volition™ RJ45 K5e Jack, Cat 5e, FTP, black	9
VOL-OCK5E-S	Volition™ RJ45 K5e Jack, Cat 5e, STP, white & metallic shield	9
VOL-OCK5E-SB	Volition™ RJ45 K5e Jack, Cat 5e, STP, white and metallic shield, bulk	9
VOL-OCK5E-U	Volition™ RJ45 K6 Jack, Cat 6, UTP, white	9
VOL-OCK5E-U-AL	Volition™ RJ45 K5e Jack, Cat 5e, UTP, almond	9
VOL-OCK5E-UB	Volition™ RJ45 K5e Jack, Cat 5e, UTP, white	9
VOL-OCK5E-UB-AL	Volition™ RJ45 K5e Jack, Cat 5e, UTP, almond, bulk	9
VOL-OCK5E-UB-BK	Volition™ RJ45 K5e Jack, Cat 5e, UTP, black, bulk	9
VOL-OCK5E-UB-BL	Volition™ RJ45 K5e Jack, Cat 5e, UTP, blue, bulk	9
VOL-OCK5E-U-BK	Volition™ RJ45 K5e Jack, Cat 5e, UTP, black	9
VOL-OCK5E-U-BL	Volition™ RJ45 K5e Jack, Cat 5e, UTP, blue	9
VOL-OCK5E-UB-O	Volition™ RJ45 K5e Jack, Cat 5e, UTP, orange , bulk	9
VOL-OCK5E-U-G	Volition™ RJ45 K5e Jack, Cat 5e, UTP, green	9
VOL-OCK5E-U-O	Volition™ RJ45 K5e Jack, Cat 5e, UTP, orange	9
VOL-OCK5E-U-R	Volition™ RJ45 K5e Jack, Cat 5e, UTP, red	9
VOL-OCK5E-U-Y	Volition™ RJ45 K5e Jack, Cat 5e, UTP, yellow	9
VOL-PCC-B	Volition™ Port Identification Bezel, keystone, Blue	14
VOL-PCC-BK	Volition™ Port Identification Bezel, keystone, Black	14
VOL-PCC-G	Volition™ Port Identification Bezel, keystone, Green	14
VOL-PCC-O	Volition™ Port Identification Bezel, keystone, Orange	14
VOL-PCC-R	Volition™ Port Identification Bezel, keystone, Red	14
VOL-PCC-W	Volition™ Port Identification Bezel, keystone, White	14
VOL-PCC-Y	Volition™ Port Identification Bezel, keystone, Yellow	14
VOL-PGCA-W24K	Volition™ German Patch Panel, 24 ports, keystone, brushed alu, with cover	13
VOL-PP3B-25P	Volition™ 19"x1U Patch Panel Category 3, SID, 25 ports, black	155
VOL-PP3B-28P	Volition™ 19"x1U Patch Panel Category 3, SID, 28 ports, black	155
VOL-PP3B-56P	Volition™ 19"x1U Patch Panel Category 3, SID, 56 ports, black	155
VOL-PP3G-25P	Volition™ 19"x1U Patch Panel Category 3, SID, 25 ports, grey	155
VOL-PP3G-50P	Volition™ 19"x1U Patch Panel Category 3, SID, 50 ports, grey	155
VOL-PPCA-F16K	Volition™ Classic Patch Panel, 16 ports, keystone, brushed alu	13
VOL-PPCA-F24K	Volition™ Classic Patch Panel, 24 ports, keystone, brushed alu	13
VOL-PPCA-F32K	Volition™ Classic Patch Panel, 32 ports, keystone, brushed alu	13
VOL-PPCA-F48K	Volition™ Classic Patch Panel, 48 ports, keystone, brushed alu	13
VOL-PPCB-F16K	Volition™ Classic Patch Panel, 16 ports, keystone, black alu	13
VOL-PPCB-F24K	Volition™ Classic Patch Panel, 24 ports, keystone, black alu	13
VOL-PPCB-F32K	Volition™ Classic Patch Panel, 32 ports, keystone, black alu	13
VOL-PPCB-F48K	Volition™ Classic Patch Panel, 48 ports, keystone, black alu	13
VOL-PPGA-W24K	Volition™ German Patch Panel, 24 ports, keystone, brushed alu	13
VOL-PPUD-F24K	Volition™ Economic Patch Panel, double plate, 24 ports, UTP, keystone, black alu	13

Ref.-No.	Type/Order Text	Page
VOL-SA-F4K	Volition™ Support for 4 x RJ45 K5e or K6 Jacks, keystone, brushed alu	14
VOL-SA-F4K	4 Way Keystone 'K' Series RJ-45 support	109
VOL-SCOCK-B	Volition™ shielded cover for RJ45 Keystone jacks	9
VOL-SGFB-W2K2	Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, beige	11
VOL-SGFCB-W2K2	Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, central fixing, beige	11
VOL-SGFCW-W2K2	Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, central fixing, white	11
VOL-SGFW-W2K2	Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, white	11
VOL-T5L1	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 1 m	54
VOL-T5L15	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 15 m	54
VOL-T5L2	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 2 m	54
VOL-T5L3	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 3 m	54
VOL-T5L30	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 30 m	54
VOL-T5L5	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 5 m	54
VOL-T5L8	VF-45™-Connector to ST-Connector, 50/125µm, LSZH, Length: 8 m	54
VOL-T6L1	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 1 m	55
VOL-T6L15	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 15 m	55
VOL-T6L2	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 2 m	55
VOL-T6L3	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 3 m	55
VOL-T6L30	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 30 m	55
VOL-T6L5	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 5 m	55
VOL-T6L8	VF-45™-Connector to ST-Connector, 62,5/125µm, LSZH, Length: 8 m	55
VOL-T9L1	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 1 m	56
VOL-T9L1,5	VF-45v-Connector to ST-Connector, 9/125µm, LSZH, Length: 1,5 m	56
VOL-T9L15	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 15 m	56
VOL-T9L2	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 2 m	56
VOL-T9L3	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 3 m	56
VOL-T9L30	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 30 m	56
VOL-T9L5	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 5 m	56
VOL-T9L8	VF-45™-Connector to ST-Connector, 9/125µm, LSZH, Length: 8 m	56
VOL-UREF-050-SC	VF-45™-Connector to SC Connector and VF-45™ Socket, Reference Cable kit, beige, 1,5 m: 50/125µm	57
VOL-UREF-050-ST	VF-45™-Connector to ST Connector and VF-45™ Socket, Reference Cable kit, beige, 1,5 m: 50/125µm	57
VOL-UREF-062-SC	VF-45™-Connector to SC Connector and VF-45™ Socket, Reference Cable kit, beige, 1,5 m: 62,5/125µm	57
VOL-UREF-062-ST	VF-45™-Connector to ST Connector and VF-45™ Socket, Reference Cable kit, beige, 1,5 m: 62,5/125µm	57
VOL-UREF-SM-SC	VF-45™-Connector to SC Connector and VF-45™ Socket, Reference Cable kit, green, 1,5 m: 9/125µm	57
VOL-UREF-SM-ST	VF-45™-Connector to ST Connector and VF-45™ Socket, Reference Cable kit, green, 1,5 m: 9/125µm	57
VOL-V5L1	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 1 m	54
VOL-V5L1,5	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 1,5 m	54
VOL-V5L15	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 15 m	54
VOL-V5L2	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 2 m	54
VOL-V5L3	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 3 m	54
VOL-V5L30	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 30 m	54
VOL-V5L5	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 5 m	54
VOL-V5L8	VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 8 m	54
VOL-V6L1	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 1 m	55
VOL-V6L1,5	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 1,5 m	55
VOL-V6L15	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 15 m	55
VOL-V6L2	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 2 m	55
VOL-V6L3	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 3 m	55
VOL-V6L30	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 30 m	55
VOL-V6L5	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 5 m	55
VOL-V6L8	VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 8 m	55
VOL-V9L1	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 1 m	56
VOL-V9L1,5	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 1,5 m	56
VOL-V9L15	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 15 m	56
VOL-V9L2	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 2 m	56
VOL-V9L3	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 3 m	56
VOL-V9L30	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 30 m	56
VOL-V9L5	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 5 m	56
VOL-V9L8	VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 8 m	56



# European Enterprise Catalogue

## Numeric Content

### as Type/Order Text

Type/Order Text	Ref.-No.	Page
<b>1</b> 1 outlet Volition™ RJ45 45 x 45 face plate, ISDN socket	P28230A5	159
1 outlet Volition™ RJ45 flush mount ISDN socket, standard type without earth post	NN330240	159
1 outlet Volition™ RJ45 wall mount ISDN socket, standard without cable screen termination ISDN facility	33023800	159
1 pair blanking plug	P44560BE	109
1 x DFS 1000 mm	41096-563 00	144
1 x DFS 1000 mm	41096-564 00	145
1 x DFS 700 mm	41096-562 00	143
1 x wall mounting rail kit	41096-569 25	144
1 x wall mounting rail kit	41096-569 25	145
1 x wall mounting rail kit	41096-569 25	143
10 Base T (RJ45) to 10 Base FL, VF-45™ Port, 850nm, VF-45™ Port	VOL-0201-EUR	58
10 Base T (RJ45) to 10 Base FL, VF-45™ Ports, 850nm, 12x VF-45™ Ports	VOL-M10FL-12	58
10 Base T (RJ45) to 10 Base FL, VF-45™ Ports, 850nm, 24x VF-45™ Ports	VOL-M10FL-24	58
100 Base-TX (RJ45) to 100 Base-FX, VF-45™ Port, 1300nm	VOL-M100FX-AN	58
1U Patch Cord Management Panel, 5 Plastic Rings, Black	P33410AA	14
1U Patch Cord Shelf Management Panel, Black	P33310AA	14
1U Plain Cover, Black	P33201AA	14
1U Plastic Rings, Black	P33340AA	14
1U Shelf, Black	P33325AA	14
<b>2</b> 2 modular jacks RJ45 SCQ cabling, ivory	P45368A5	106
2 outlet Volition™ RJ45 wall mount ISDN socket	N301023B	159
2 pair bus terminal	C222710A	109
2552SA	2552SA	93
2K Dummy front plate, 7DU	40018-018 30	97
2U Patch Cord Shelf Management Panel, Black	P33330AA	14
2U Plain Cover, Black	P33202AA	14
2U Plastic Rings, Black	P33345AA	14
<b>3</b> 3 x mounting rail kit QRS 1000	41096-566 00	144
3 x mounting rail kit QRS 1000	41096-567 00	145
3 x mounting rail kit QRS 700	41096-565 00	143
3 x Quante™ SID™-C Flexirail QRS	79096-583 00	143
3 x SID-C Flexirail QRS	79096-562 25	145
3 x SID-C Flexirail QRS	79096-570 25	144
3-pole surge arrester with integrated fail-safe	05-661-02600	128
3-pole surge arrester with integrated fail-safe	05-661-02800	128
3-pole surge arrester without fail-safe	39081-728 00	128
3U Plain Cover, Black	P33203AA	14
<b>4</b> 4 contacts RJ11 socket	C211741A	157
4 contacts RJ11 socket gel filled	C211749A	157
4 modular jacks for Ethernet 100 Base Tx SCQ cabling, ivory	P45362A5	106
4 Way Keystone 'K' Series RJ-45 support	VOL-SA-F4K	109
4 Way RJ-45 support	P44380AA	109
4 Way ST and SC support	P44430AA	109
4 wire cord 1 plug on each end	MPA025EB	116
<b>5</b> 50-pin, RJ-21 female connector	P44340AA	106
<b>A</b> ab Loop plug for connection of RX / TX lines	79072-512 00	126
Accessories: Pack of 2 adapter supports for ETSI Racks 1U	N711498B	89
Accessories: Pack of 2 adapter supports for ETSI Racks 2U	N711499B	89
Activation Tool, ST/SC	6955-T	76
Adapter cord SID-QSA	79054-570 00	130
<b>B</b> Backmount frames for STF boxes, set of 2 x 1 way backmount frame	C226000A	154
Backmount frames for STF boxes, set of 2 x 11 way backmount frame	C226004A	154
Backmount frames for STF boxes, set of 2 x 2 way backmount frame	C226001A	154
Backmount frames for STF boxes, set of 2 x 21 way backmount frame	C226005A	154
Backmount frames for STF boxes, set of 2 x 3 way backmount frame	C226002A	154
Backmount frames for STF boxes, set of 2 x 6 way backmount frame	C226003A	154
Bag of 10 swivelling label-holders, Base 10 pair	C222951A	116
Bag of 10 swivelling label-holders, Base 8 pair	C222950A	116

Type/Order Text	Ref.-No.	Page
Bag of 100 marking caps marked from 0 to 9	C222917A	117
Bag of 100 marking caps, Black	C222920A	117
Bag of 100 marking caps, Blue	C222924A	117
Bag of 100 marking caps, Green	C222925A	117
Bag of 100 marking caps, Grey	C222921A	117
Bag of 100 marking caps, Red	C222922A	117
Bag of 100 marking caps, Yellow	C222923A	117
Bag of 100 marking caps: (black) marked from 0 to 9	C222916B	117
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 12 SC, E2000 or EC	N461592A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 12 ST or FC	N461580A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 24 SC, E2000 or EC	N461554A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 1U for 24 ST or FC	N461529A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 36 SC, E2000 or EC	N461593A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 36 ST or FC	N461559A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 48 SC, E2000 or EC	N461555A	89
BCCO II 19" Cable panels with Cassettes and Slides without pre-loading, 2U for 48 ST or FC	N461582A	89
BCCO II 19", 1U Rack for managing	N461571A	89
BCCO II 19", 1U Rack for managing 24 splices	N461596A	89
BCCO II 19", 1U Standard storage rack	N461572A	89
BCCO II 19", 1U Storage shelf	N461617A	89
BCCO II 19", 2U Rack for managing 48 splices BCCO II	N461560A	89
BCS 2 Cabling Core in 2/Shielding in 1 yellow	P45400AA	106
BCS 2 Cabling, yellow	P45363AA	106
Blanking plug for VF-45 Ports, Black	VOL-0300BK	42
Blanking plug for VF-45 Ports, Bright White	VOL-0300B	42
Bonding Comb	P44503AB	107
Bonding Springs for Drains	P44619AA	107
Bonding Strip	P44510AA	107
Bottel for isoprophyll alcohol	VOL-0560R	74
Bottle, Alcohol (empty)	VOL-0560R	39
Box for wall mount application (empty)	P28420AA	159
<b>C</b> CIPE 2 x 124 ways	463392VA	141
CIPE 2 x 124 ways	463393VA	141
CIPE 2 x 18 ways	C232740A	141
CIPE 2 x 18 ways	C232750A	141
CIPE 2 x 28 ways	C232741A	141
CIPE 2 x 28 ways	C232751A	141
CIPE 2 x 41 ways	C232742A	141
CIPE 2 x 41 ways	C232752A	141
CIPE 2 x 65 ways	C232743A	141
CIPE 2 x 65 ways	C232753A	141
CIPE 2 x 90 ways	56312100	141
CIPE 2 x 90 ways	56312200	141
Classic Hot Melt consumeables kit	6365-CC	72
Cleaning Tissues for VF-45 Plug Cleaner	VOL-0570C	40
Cleaning Wires	VOL-0560W	39
Coloured Removable Flanges for modules 22.5x45, 45x45 mm Blue	P28323BE	16
Coloured Removable Flanges for modules 22.5x45, 45x45 mm Green	P28323VE	16
Coloured Removable Flanges for modules 22.5x45, 45x45 mm Red	P28323RE	16
Coloured Removable Flanges for modules 22.5x45, 45x45 mm Yellow	P28323JA	16
Combined insertion/extraction tool for protection magazine	C222053A	115
Connecting Plug	79072-511 00	132
Connector holder for FC Hot Melt connectors	SP-00505	74
Connector holder for LC Hot Melt connectors	6650-LH	74
Connector holder for SC Hot Melt connectors	SP-00504	74
Connector holder for ST Hot Melt connectors	6190	74
Conversion Kit: Epoxy to Hot Melt Classic	6157	72
Cord flex 4-poles single ended	79054-571 00	130
Cotton Swabs	VOL-0560N	39
Cover for 10-pair SID module blue	79004-507 31	131
Cover for 10-pair SID module green	79004-507 26	131
Cover for 10-pair SID module transparent	79004-507 00	131
Cover strips for 10 pair, for connection modules	79169-517 28	133
Cover strips for 10 pair, for disconnection modules	79169-517 26	133
Crimplok assembly case	6955	76
Current protection - 2 fuses (1.25 A/250V)	C222037A	115
<b>D</b> DFS 1000 mm	41096-563 00	144
DFS 1000 mm	41096-564 00	145
DFS 700 mm	41096-562 00	143
Disconnection plug for 1 pair, brown	79122-544 30	133
Disconnection plug for 1 pair, red	79122-544 00	133
Disconnection plug for 1 pair, white	79122-544 25	133
Disconnection plug for 5 pair, brown	79122-545 30	133
Disconnection plug for 5 pair, red	79122-545 00	133

Type/Order Text	Ref.-No.	Page
Disconnection plugs	C222909A	116
Dummy plug for 1 pair, black	79122-543 29	133
Dummy plug for 1 pair, green	79122-543 26	133
Dummy plug for 1 pair, red	79122-543 00	133
Dust cover for 10 pair modules or blocks Length: 10 x 16 ways, i.e. 100 pair	C222963A	117
Dust cover for 10 pair modules or blocks Length: 2 m	C222956A	117
Dust cover for 10 pair modules or blocks Length: 5 x 16 ways, i.e. 50 pair	C222961A	117
Dust cover for 8 pair modules or blocks Length: 2 m	C222955A	117
<b>E</b> E2000 Simplex, metal mounting clamp	05-750-14100	70
E2000/APC 8° Pigtail 9/125, single-mode Fibre	05-706-03900	70
E2000/APC coupling, single-mode	05-751-13400	70
Earth connector kit for the SID-CD 10/20 pair strips	79096-534 00	132
Earthing Plug	79072-510 00	132
Earthing Rail	79114-542 00	132
Earthing Rail SID	79114-536 00	131
Ethernet 100Base Tx / Ethernet 100Base Tx 8-pin	P29340B5	25
Ethernet 100Base Tx / Ethernet 100Base Tx 9-pin	P29341B5	25
Ethernet 100Base Tx / Numeric Telephone 8-pin	P29344B5	25
Ethernet 100Base Tx / Numeric Telephone 9-pin	P29345B5	25
Ethernet 10Base Tx / Ethernet 10Base Tx 8-pin	P29343BA	25
Ethernet 10Base Tx / Ethernet 10Base Tx 9-pin	P29342BA	25
Ethernet 10Base Tx / Y Wiring Telephone 8-pin	P29359BA	25
Extension Kit Hot Melt to UHT connectors	6355-U	72
Extension kit LC Hot Melt	6650-LC	72
Extraction tool	79397-515 00	128
<b>F</b> FC/APC Connector, Epoxy, single-mode, green boot	AEXGL-3	68
FC/APC Connector, Epoxy, single-mode, green boot	8206-FC/APC	68
FC-APC 8° Pigtail 9/125, single-mode Fibre	AEX00-AU0002	69
FC-APC-Coupling, single-mode	8211-APC	69
FC-Connector, Epoxy, single-mode, white boot	8203	68
FC-Connector, Epoxy, single-mode, white boot	AENWL-3	68
FC-Connector, Hot Melt, multimode, white boot	6200	68
FC-Connector, Ultra High Temperature Hot Melt, single-mode, blue boot	8208	68
FC-Connector, Ultra High Temperature Hot Melt, single-mode, blue boot	8208-U1K	68
FC-Coupling, single-mode	8211	69
FC-Pigtail 9/125, single-mode Fibre	AEN00-AU0002	69
Fibre Stripper, 250µ coating	VOL-0560D	39
Fibreholder for VF-45 Socket, Multimode and Single-mode	VOL-0011	37
Fibrolok™ Universal Splice Holder	2529-H	78
Fibrolok™ Universal Tool Kit Complete	2530	78
Fibrolok™ Universal Tool Kit Without Cleaver	2531	78
Fibrolok™ Universal, single fibre mechanical splice	2529	78
Flush Mount Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size: 45 x 90 mm	VOL-0257W	41
Flush mount socket 71 x 116 mm face plate with dummy plug, ivory	C211738A	157
Flush mount socket 71 x 116 mm face plate, ivory, equipped	C211744A	157
Flush mount socket 85 x 85 mm face plate with dummy plug, white	C211751A	157
Flush mount socket 85 x 85 mm face plate, white	C211691A	157
Flush mount socket 85 x 85 mm face plate, white, equipped	C211750A	157
FO 19" Loose tube storage tray, 1 HU	40040-502 30	97
FO 19" Patch cord guiding panel, 1 HU	40036-521 30	97
FO connector holders 12 SC-Duplex	52138-012 30	92
FO connector holders 24 E2000 / SC-Simplex	52138-013 30	92
FO connector holders 24 ST/FC	52138-010 30	92
FO connector mounting plates 12 E2000/SC simplex	52138-019 30	90
FO connector mounting plates 12 ST/FC	52138-018 30	90
FO connector mounting plates 6 SC duplex	52138-016 30	90
FO connector mounting plates holders 6 ST/FC	52138-009 30	91
FO Lid, For splicing cassette, colour: RAL 9001 (cream white) PU: 10 pcs	29025-503 31	84
FO Lid, For splicing cassette, colour: RAL 9001 (cream white) PU: 50 pcs	29025-503 30	84
FO-Crimp splice protector	05-760-08100	84
FO-Heatshrink splice protector 45 mm FSS 1/2,4	05-760-12100	84
FO-Heatshrink splice protector 60 mm FSS 1	05-760-12000	84
FO-patch panel 12 SC Duplex	SPP3-E-1CD	85
FO-patch panel 12 SC Simplex or 12 LC Duplex	SPP3-E-1CS	85
FO-patch panel 12 ST	SPP3-E-1T	85
FO-patch panel 24 SC Duplex	SPP3-E-2CD	85
FO-patch panel 24 SC Simplex or 24 LC Duplex	SPP3-E-2CS	85
FO-patch panel 24 ST	SPP3-E-2T	85
FO-patch panel 6 SC Duplex	SPP3-E-6CD	85
FO-Splicing cassette, Incl. splice protective holder for 12 crimp splice protectors and cable management	29026-500 30	84
FO-Splicing cassette, Incl. strain relief and cable management	29026-500 31	84
FO-Splicing holder Fibrolok™ Universal	2529-H	84
FO-Splicing protection holder, crimp	05-760-08000	84
FO-Splicing protection holder, shrink	05-760-11900	84

Type/Order Text	Ref.-No.	Page
FO-Strain relief	29031-000 30	84
FO-Wall Outlet, For 2 SC-Duplex	FIPTOSC-70	94
FO-Wall Outlet, For 2 ST-simplex	FIPTOST-70	94
Furniture Outlet for 2 x VF-45 Socket, Plastic Black	VOL-0350B	41
Furniture Outlet for 2 x VF-45 Socket, Plastic Grey	VOL-0350G	41
Furniture Outlet for 2 x VF-45 Socket, Plastic White	VOL-0350W	41
<b>G</b> GF-19" Subrack, 3 HU, 84 DU	40026-515 30	97
<b>H</b> Hinge, To connect splicing cassette and lid	03-756-00500	84
Horizontal routing rings to be mounted on backmount frame, large size 50 x 70	P26675AA	141
Horizontal routing rings to be mounted on backmount frame, small size 38 x 50	P26665AA	141
Hot Melt oven, 230V	6323	74
HotMelt Autopolisher, 230V	6851-E	75
<b>I</b> Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Blue	VOL-0790BL	12
Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Green	VOL-0790GR	12
Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Red	VOL-0790RD	12
Identification icon for Volition™ 22,5x45 and 45x45 Faceplates, keystone, Yellow	VOL-0790YL	12
Impact tools for IDC system STG	C234030A	117
Impact tools for IDC system STG, QSA and system 71	C234037A	117
Impact tools for IDC system STG, SID, QSA and system 71	C234049A	117
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 12 Fibres, Length: 500 m	VOL-B512L0,5	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 12 Fibres, Length: 1000 m	VOL-B512L1	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 24 Fibres, Length: 500 m	VOL-B524L0,5	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 24 Fibres, Length: 1000 m	VOL-B524L1	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 48 Fibres, Length: 500 m	VOL-B548L0,5	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 48 Fibres, Length: 1000 m	VOL-B548L1	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 72 Fibres, Length: 500 m	VOL-B572L0,5	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 72 Fibres, Length: 1000 m	VOL-B572L1	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 96 Fibres, Length: 500 m	VOL-B596L0,5	44
Indoor Backbone Cable, 50/125/250µm, LSZH 50/125, 96 Fibres, Length: 1000 m	VOL-B596L1	44
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 1 x 2 Fibres, Length: 1000 m	VOL-H62L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 12 Fibres, Length: 500 m	VOL-B612L0,5	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 12 Fibres, Length: 1000 m	VOL-B612L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 2 x 2 Fibres, Length: 1000 m	VOL-H64L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 24 Fibres, Length: 500 m	VOL-B624L0,5	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 24 Fibres, Length: 1000 m	VOL-B624L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 48 Fibres, Length: 500 m	VOL-B648L0,5	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 48 Fibres, Length: 1000 m	VOL-B648L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 72 Fibres, Length: 500 m	VOL-B672L0,5	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 72 Fibres, Length: 1000 m	VOL-B672L1	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 96 Fibres, Length: 500 m	VOL-B696L0,5	45
Indoor Backbone Cable, 62,5/125/250µm, LSZH 62,5/125, 96 Fibres, Length: 1000 m	VOL-B696L1	45
Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 12 Fibres, Length: 1000 m	VOL-B912L1	46
Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 24 Fibres, Length: 1000 m	VOL-B924L1	46
Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 48 Fibres, Length: 1000 m	VOL-B948L1	46
Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 72 Fibres, Length: 1000 m	VOL-B972L1	46
Indoor Backbone cable, 9/125/250µm, LSZH 9/125, 96 Fibres, Length: 1000 m	VOL-B996L1	46
Indoor Cable for horizontal and backbone cabling, 50/125/250µm, LSZH 50/125, 6 Fibres, Length: 1000 m	VOL-B56L1	44
Indoor Cable for horizontal and backbone cabling, 62,5/125/250µm, LSZH 62,5/125, 6 Fibres, Length: 1000 m	VOL-H66L1	45
Indoor Cable for horizontal and backbone cabling, 9/125/250µm, LSZH 9/125, 6 Fibres, Length: 1000 m	VOL-B96L1	46
Indoor horizontal cable OM3, 50/125/250µm, LSZH 50/125, 2 x 2 Fibres, Length: 1000 m	VOL-H54L1MC	44
Indoor horizontal cable, 50/125/250µm, LSZH 50/125, 1 x 2 Fibres, Length: 1000 m	VOL-H52L1	44
Indoor horizontal cable, 50/125/250µm, LSZH 50/125, 2 x 2 Fibres, Length: 1000 m	VOL-H54L1	44
Indoor horizontal cable, 9/125/250µm, LSZH 9/125, 1 x 2 Fibres, Length: 1000 m	VOL-H92L1	46
Indoor horizontal cable, 9/125/250µm, LSZH 9/125, 2 x 2 Fibres, Length: 1000 m	VOL-H94L1	46
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 12 fibres	VOL-IO A512	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 144 fibres	VOL-IO A5144	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 2 fibres	VOL-IO A52	47
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 24 fibres	VOL-IO A524	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 4 fibres	VOL-IO A54	47
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 48 fibres	VOL-IO A548	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 6 fibres	VOL-IO A56	47
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 72 fibres	VOL-IO A572	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 8 fibres	VOL-IO A58	47
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 50/125µm, 96 fibres	VOL-IO A596	48
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 12 fibres	VOL-IO A612	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 144 fibres	VOL-IO A6144	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 2 fibres	VOL-IO A62	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 24 fibres	VOL-IO A624	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 4 fibres	VOL-IO A64	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 48 fibres	VOL-IO A648	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 6 fibres	VOL-IO A66	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 72 fibres	VOL-IO A672	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 8 fibres	VOL-IO A68	50
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 62,5/125µm, 96 fibres	VOL-IO A696	50

Type/Order Text	Ref.-No.	Page
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 12 fibres	VOL-IO A912	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 144 fibres	VOL-IO A9144	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 2 fibres	VOL-IO A92	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 24 fibres	VOL-IO A924	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 4 fibres	VOL-IO A94	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 48 fibres	VOL-IO A948	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 6 fibres	VOL-IO A96	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 72 fibres	VOL-IO A972	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 8 fibres	VOL-IO A98	52
Indoor/Outdoor aramid yarn, without rodent protection, multimode, 9/125µm, 96 fibres	VOL-IO A996	52
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 12 fibres	VOL-IO S512	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 144 fibres	VOL-IO S5144	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 24 fibres	VOL-IO S524	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 4 fibres	VOL-IO S54	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 48 fibres	VOL-IO S548	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 6 fibres	VOL-IO S56	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 72 fibres	VOL-IO S572	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 8 fibres	VOL-IO S58	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 50/125µm, 96 fibres	VOL-IO S596	49
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 12 fibres	VOL-IO S612	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 144 fibres	VOL-IO S6144	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 24 fibres	VOL-IO S624	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 4 fibres	VOL-IO S64	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 48 fibres	VOL-IO S648	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 6 fibres	VOL-IO S66	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 72 fibres	VOL-IO S672	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 8 fibres	VOL-IO S68	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 62,5/125µm, 96 fibres	VOL-IO S696	51
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 12 fibres	VOL-IO S912	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 144 fibres	VOL-IO S9144	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 2 fibres	VOL-IO S92	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 24 fibres	VOL-IO S924	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 4 fibres	VOL-IO S94	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 48 fibres	VOL-IO S948	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 6 fibres	VOL-IO S96	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 72 fibres	VOL-IO S972	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 8 fibres	VOL-IO S98	53
Indoor/Outdoor cables with corrugated steel armouring for full rodent protection, multimode, 9/125µm, 96 fibres	VOL-IO S996	53
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 12 fibres	VOL-IO G512	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 144 fibres	VOL-IO G5144	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 24 fibres	VOL-IO G524	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 4 fibres	VOL-IO G54	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 48 fibres	VOL-IO G548	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 6 fibres	VOL-IO G56	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 72 fibres	VOL-IO G572	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 8 fibres	VOL-IO G58	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 50/125µm, 96 fibres	VOL-IO G596	48
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 12 fibres	VOL-IO G612	50
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 144 fibres	VOL-IO G6144	51
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 24 fibres	VOL-IO G624	50
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 4 fibres	VOL-IO G64	50
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 48 fibres	VOL-IO G648	51
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 6 fibres	VOL-IO G66	50
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 72 fibres	VOL-IO G672	51
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 8 fibres	VOL-IO G68	50
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 62,5/125µm, 96 fibres	VOL-IO G696	51
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 12 fibres	VOL-IO G912	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 144 fibres	VOL-IO G9144	53
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 2 fibres	VOL-IO G92	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 24 fibres	VOL-IO G924	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 4 fibres	VOL-IO G94	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 48 fibres	VOL-IO G948	53
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 6 fibres	VOL-IO G96	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 72 fibres	VOL-IO G972	53
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 8 fibres	VOL-IO G98	52
Indoor/Outdoor Glass yarn cables, with light rodent protection, multimode, 9/125µm, 96 fibres	VOL-IO G996	53
Inverted channel wire guide for 4 quarters	P44902QT	109
Inverted channel wire guide for 8-pairs	P44902IN	109
ISDN socket with 2.5 mm2 earth post for cable screen continuity	330243VA	159
ISDN socket with 2.5 mm2 earth post for cable screen continuity	330244VA	159
<b>J</b> Jacket Stripper	VOL-560A	39
<b>K</b> Kevlar Scissors	VOL-0560B	39
Kit for additional fastening of cover	50179-506 00	147
<b>L</b> Label holder	79156-516 00	131

Type/Order Text	Ref.-No.	Page
Label holder for SID 8x3 abc module	79156-521 30	131
Label-holder numbered from 1 to 8 or from 1 to 10, Base 10 pair (PU: 20 elements)	C220674B	116
Label-holder numbered from 1 to 8 or from 1 to 10, Base 8 pair	C220673B	116
Label-holder with blank label (space for 3 digits)	C222903A	116
Label-holder with marked label from 000 to 100	C222918A	116
Labelling frame	79156-517 00	131
Lapping Film 2 x 5 sheets	VOL-0562K	39
LC Pigtail 9/125, single-mode, Yellow, length: 2 m	ADVOO-AU0002	67
LC/APC Pigtail 9/125, single-mode, Yellow, length: 2 m	ADWO0-AU0002	67
LC-Connector Hot Melt, multimode, Duplex Clip, beige	6602-D	67
LC-Connector Hot Melt, multimode, Simplex, beige	6602-S	67
LC-Connector Hot Melt, single-mode, Duplex Clip, blue	8602-D	67
LC-Connector Hot Melt, single-mode, Simplex, blue	8602-S	67
LC-Coupling, multimode, Duplex, beige plastic housing in SC-Simplex format	6661-DC	67
LC-Coupling, single-mode, Duplex, blue plastic housing in SC-Simplex format	8661-DC	67
LC-Coupling, single-mode, Simplex, blue plastic housing	8662-SC	67
LC-Coupling, single-mode, Simplex, blue plastic housing	8662-SC	67
LC-Duplex Pigtail 50/125, multimode OM3, Green, length: 2 m	BDUOO-CB0002	67
LC-Duplex Pigtail 50/125, multimode, Green, length: 2 m	BDUOO-CT0002	67
LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	BDUDU-AX0001	81
LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	BDUDU-AX0002	81
LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	BDUDU-AX0003	81
LC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	BDUDU-AX0005	81
LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	BDUDU-CB0001	81
LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	BDUDU-CB0002	81
LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	BDUDU-CB0003	81
LC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	BDUDU-CB0005	81
LC-Pigtail 50/125, multimode OM3, Green, length: 2 m	BDUOO-ZO0002	67
LC-Pigtail 50/125, multimode, Green, length: 2 m	BDUOO-ZK0002	67
LC-Pigtail 62,5/125, multimode, Blue, length: 2 m	BDBOO-AP0002	67
Lint Free Wipes	05-00017	39
Lintfree tissues	05-00017	74
<b>M</b> M5 Cage nut	29010300	21
M6 Cage nut	P33067AA	21
Magazine for STG with 250 V arrester with fail-safe, 10 pair	C233740B	115
Magazine for STG with 250 V arrester with fail-safe, 8 pair	C233736B	115
Magazine for STG with 350 V arrester with fail-safe, 10 pair	C233741B	115
Magazine for STG with 350 V arrester with fail-safe, 8 pair	C233737B	115
Magazine for STG with protection facility without arresters, 10 pair	C233726B	115
Magazine for STG with protection facility without arresters, 8 pair	C233725B	115
Magazine with 0.75 m earthing cord with 250 V arrester with fail-safe, 10 pair	C233748B	115
Magazine with 0.75 m earthing cord with 250 V arrester with fail-safe, 8 pair	C233744B	115
Magazine with 0.75 m earthing cord with 350 V arrester with fail-safe, 10 pair	C233749B	115
Magazine with 0.75 m earthing cord with 350 V arrester with fail-safe, 8 pair	C233745B	115
Magazine with 0.75 m earthing cord without arrester, 10 pair	C233728B	115
Magazine with 0.75 m earthing cord without arrester, 8 pair	C233727C	115
Marking caps, black	79004-506 29	133
Marking caps, green	79004-506 26	133
Marking caps, red	79004-506 00	133
Marking strip for 10 pair, allowing testing and disconnection, black	79169-510 29	133
Marking strip for 10 pair, allowing testing and disconnection, green	79169-510 26	133
Marking strip for 10 pair, allowing testing and disconnection, grey	79169-510 28	133
Marking strip for 10 pair, allowing testing and disconnection, red	79169-510 00	133
Micromodule Stripper	VOL-0560C	39
Microscope, dual light	VOL-0563M	38
Miscellaneous	C223765A	117
Module label holder with earthing socket	79156-518 00	131
Module label holder without earthing socket	79156-519 00	131
Monitoring switch	52096-519 00	150
MRE 21 B10 2 x 21 ways	C232014A	140
MRE 21 B10 2 x 21 ways	N631072A	140
MRE 21 B8 - altuglass door	37406000	140
MRE 21 B8 - steel door	37406300	140
MRE 21 B8 2 x 21 ways	N631071A	140
MRE 21 B8 2 x 21 ways	(on request)	140
MRE 35 B10 2 x 35 ways	C232011A	140
MRE 35 B10 2 x 35 ways	N631074A	140
MRE 35 B8 - altuglass door	37406500	140
MRE 35 B8 - steel door	374061VA	140
MRE 35 B8 2 x 35 ways	(on request)	140
MRE 35 B8 2 x 35 ways	N631073A	140
MRE 60 B10 2 x 60 ways	C232015A	140
MRE 60 B10 2 x 60 ways	N631076A	140
MRE 60 B8 - altuglass door	37406600	140

Type/Order Text	Ref.-No.	Page
MRE 60 B8 - steel door	374062VA	140
MRE 60 B8 2 x 60 ways	(on request)	140
MRE 60 B8 2 x 60 ways	N631075A	140
MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BDBMT-CT0001	80
MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BDBMT-CT0002	80
MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BDBMT-CT0003	80
MTRJ-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BDBMT-CT0005	80
MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BANMT-CT0001	80
MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BANMT-CT0002	80
MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BANMT-CT0003	80
MTRJ-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BANMT-CT0005	80
Multi purpose connection tool	C234030A	109
Multimode 50/125µm with SC, 12 Fibres	40395-514 55	96
Multimode 50/125µm with SC-Duplex, 12 Fibres, horizontal	40395-523 57	96
Multimode 50/125µm with ST, 12 Fibres	40395-507 57	96
Multimode 62,5/125µm with SC, 12 Fibres	40395-514 65	96
Multimode 62,5/125µm with SC-Duplex, 12 Fibres	40395-523 67	96
Multimode 62,5/125µm with ST, 12 Fibres	40395-507 67	96
Multimode, 50/125µm, FO-patch panel 12 SC Duplex	SPP3-E-1C-DMP5	86
Multimode, 50/125µm, FO-patch panel 12 ST	SPP3-E-1T-MP5	86
Multimode, 50/125µm, FO-patch panel 24 ST	SPP3-E-2T-MP5	86
Multimode, 50/125µm, FO-patch panel 6 SC Duplex	SPP3-E-6C-DMP5	86
Multimode, 62,5/125µm, FO-patch panel 12 SC Duplex	SPP3-E-1C-DMP6	86
Multimode, 62,5/125µm, FO-patch panel 12 ST	SPP3-E-1T-UP6	86
Multimode, 62,5/125µm, FO-patch panel 24 ST	SPP3-E-2T-UP6	86
Multimode, 62,5/125µm, FO-patch panel 6 SC Duplex	SPP3-E-6C-DMP6	86
Multimode, FO-patch panel 12 SC Duplex MM-Couplings	SPP3-E-1C-DM	85
Multimode, FO-patch panel 12 ST MM-Couplings	SPP3-E-1T-M	85
Multimode, FO-patch panel 24 SC Duplex MM-Couplings	SPP3-E-2C-DM	85
Multimode, FO-patch panel 24 ST MM-Couplings	SPP3-E-2T-M	85
Multimode, FO-patch panel 6 SC Duplex MM-Couplings	SPP3-E-6C-DM	85
Multiple parallel test plug, 10 pair	C222059A	116
Multiple parallel test plug, 8 pair	C222058A	116
<b>O</b> Overvoltage protection magazine for SID-C	79126-510 00	128
Overvoltage protection magazine for SID-CD	79126-511 00	128
Overvoltage protection magazine for SID-CT	79126-512 00	128
<b>P</b> Parallel test cord (3m)	M004724A	117
Parallel test cord 2 wires with banana plugs	C222048B	116
Parallel test plug (CKD)	M004726A	117
Parallel test plug for RJ 11 connector	MPA0781A	116
Patch cord, 4-poles, 1 m	79054-561 00	130
Patch cord, 4-poles, 2 m	79054-561 25	130
Patch cord, 4-poles, 4 m	79054-561 26	130
Patch Panel, 24 Ports, 1U	VOL-430-ES	42
Patch Panel, 48 Ports, 2U	VOL-432-ES	42
Patchcord Management - Panel - 1	VOL-499-E	42
PCB type patch cord 2 wire, 1 m (single-sided PCB)	C242611A	116
PCB type patch cord 2 wire, 2 m (single-sided PCB)	C242612A	116
PCB type patch cord 2 wire, 3 m	C222025B	116
PCB type patch cord 4 wire, 3 m	C222024B	116
Plug-on, wire guide housing, 1x8 right handed	79036-501 30	126
Plug-on, wire guide housing, 2x4 left/right	79036-500 30	126
Point to Point ISDN 100 Ohm Adapter -	P29323BA	25
Polishing film 0,02µm, single-mode (light yellow)	263X	73
Polishing film 0,5µm, diamond (light gray)	661X-0,5S	73
Polishing film 0,5µm, final polish (frosted)	863X-0,02S	73
Polishing film 2µm, "one step" (254 X Classic)	6192 A	73
Polishing film 2µm, oval with adhesive back	SP-00503	76
Polishing film 9µm, pre-polish LC-Hotmelt	461X	73
Polishing film, 2µm	6192-B	75
Polishing jig HotMelt, handpolish, ST, SC, FC	8892	73
Polishing jig, handpolish, HotMelt LC	6650-LJ	73
Polishing pad 11,5 x 14 cm, for LC HotMelt connectors	Upon request	73
Polishing pad 11,5 x 14 cm, soft, for UHT connectors	8365-PP	73
Polishing pad, round, handpolish, Classic HotMelt	6365-PP	73
Polishing Puck Assembly	VOL-0560F	39
Polishing Puck Face	VOL-0560G	39
Polishing Station Sub Assembly	VOL-0562H	38
<b>Q</b> Q2 lock	50096-505 00	148
Q2 lock kit for VKA 2	52096-523 00	150
Q2 lock kit for VKA 4, VKA 8 and VKA 12	52096-522 00	150
Q3 lock kit for VKA 2	52096-521 00	150
Q3 lock kit for VKA 4, VKA 8 and VKA 12	52096-520 00	150
QRS 1000	41096-566 00	144



Type/Order Text	Ref.-No.	Page
Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 3,0 m	P39372A5	136
Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 2 pair, 3,0 m	P39822A5	135
Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 0,5 m	P39374D5	136
Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 2,0 m	P39374A5	136
Quante™ CBE - RJ45 Patch Cords, PVC Sheath - 568A cabling - 4 pair, 3,0 m	P39376A5	136
Quante™ RCP 15-pin Sub D male	P45630AA	106
Quante™ RCP 15-pin Sub D pins female	P45631AA	106
Quante™ RCP 1-pair cord for 2 and 4 wire ELS	P44927AA	105
Quante™ RCP 25-pin Sub D male	P45628AA	106
Quante™ RCP 25-pin Sub D pins female	P45629AA	106
Quante™ RCP 9-pin Sub D male	P45632AA	106
Quante™ RCP 9-pin Sub D pins female	P45633AA	106
Quante™ RCP bipole module, protection and viewing 2 pairs (lines)	P45975AA	104
Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Blue	P46920DA	103
Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Green	P46839DA	103
Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Ivory	P46734DA	103
Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Red	P46809DA	103
Quante™ RCP cabling modules for multi-stranded wires (rear cabling), Yellow	P46840DA	103
Quante™ RCP cabling modules for solid wires (rear cabling), Blue	P46920DF	103
Quante™ RCP cabling modules for solid wires (rear cabling), Green	P46839DF	103
Quante™ RCP cabling modules for solid wires (rear cabling), Ivory	P46734DF	103
Quante™ RCP cabling modules for solid wires (rear cabling), Red	P46809DF	103
Quante™ RCP cabling modules for solid wires (rear cabling), Yellow	P46840DF	103
Quante™ RCP cabling modules for solid wires (side cabling), Blue, with spring and 2 wire guide channels	P46920CE	103
Quante™ RCP cabling modules for solid wires (side cabling), Green, with spring and 2 wire guide channels	P46839QE	103
Quante™ RCP cabling modules for solid wires (side cabling), Ivory	P46734CE	103
Quante™ RCP cabling modules for solid wires (side cabling), Red	P46809CE	103
Quante™ RCP cabling modules for solid wires (side cabling), Yellow	P46840CE	103
Quante™ RCP Computer protection module	P45722AA	104
Quante™ RCP Disconnection Plug	C222909A	107
Quante™ RCP Half-size label holder	P44620AA	108
Quante™ RCP Identification cap	C222917A	108
Quante™ RCP Identification tab	C222916B	108
Quante™ RCP Label holder 4-pair	P44505AA	108
Quante™ RCP Label holder 8-pair	P44223AA	108
Quante™ RCP Line re-routing module, 12V version	P45371AA	105
Quante™ RCP Line re-routing module, 48V version	P45370AA	105
Quante™ RCP module for 4 fuses	P45941AA	105
Quante™ RCP Parallel Test Plug	C242613A	107
Quante™ RCP Rotating label holder 8-pair	P44506AA	108
Quante™ RCP Serial Test Plug	C242610A	107
Quante™ RCP shielded rear-cable modules, Blue	P45920DH	103
Quante™ RCP shielded rear-cable modules, Green	P45839DH	103
Quante™ RCP shielded rear-cable modules, Ivory	P45734DH	103
Quante™ RCP shielded rear-cable modules, Red	P45809DH	103
Quante™ RCP shielded rear-cable modules, Yellow	P45840DH	103
Quante™ RCP Side identification label	C222903A	108
Quante™ RCP Side label holder	P44640AA	108
Quante™ RCP Telephone and special links protection module	P45922AA	104
Quante™ RCP Viewing / call / occupation module	P45990AA	105
Quante™ RCP Viewing Plug, 100 Ohm in series on the line, two-coloured diode, 2V power reduction, colour: grey	C242628A	107
Quante™ RCP Viewing Plug, PABX, 1 pair powered by 48V and common +, two-coloured diode, colour: yellow	C242629A	107
Quante™ SID™-C FlexiRail QRS	79096-570 25	144
Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 10 P	C252825A	112
Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 8 P	C252807A	112
Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 K10 P	C252828A	113
Quante™ STG 2000 connection module with multipair protection facility, STG2 U2 K8 P	C252810A	113
Quante™ STG 2000 connection module, STG2 U2 10	C252824A	112
Quante™ STG 2000 connection module, STG2 U2 8	C252806A	112
Quante™ STG 2000 connection module, STG2 U2 K10	C252827A	113
Quante™ STG 2000 connection module, STG2 U2 K8	C252809A	113
Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 10 P	C252819A	112
Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 8 P	C252801A	112
Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 K10 P	C252822A	113
Quante™ STG 2000 disconnection module with multipair protection facility, STG2 C2 K8 P	C252804A	113
Quante™ STG 2000 disconnection module with single pair protection facility, STG2 C2 10 PU	C252820A	112
Quante™ STG 2000 disconnection module with single pair protection facility, STG2 C2 8 PU	C252802A	112
Quante™ STG 2000 disconnection module, STG2 C2 10	C252818A	112
Quante™ STG 2000 disconnection module, STG2 C2 8	C252800A	112
Quante™ STG 2000 disconnection module, STG2 C2 K10	C252821A	113
Quante™ STG 2000 disconnection module, STG2 C2 K8	C252803A	113
Quante™ STG 2000 switching module with multipair protection facility, STG2 O2 10 P	C252831A	112
Quante™ STG 2000 switching module with multipair protection facility, STG2 O2 8 P	C252813A	112
Quante™ STG 2000 switching module with single pair protection facility, STG2 O2 10 PU	C252832A	112

Type/Order Text	Ref.-No.	Page
Quante™ STG 2000 switching module with single pair protection facility, STG2 O2 8 PU	C252814A	112
Quante™ STG 2000 switching module, STG2 O2 10	C252830A	112
Quante™ STG 2000 switching module, STG2 O2 8	C252812A	112
Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 2 pair, 1,0 m	P39835A5	138
Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 2 pair, 2,0 m	P39836A5	138
Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 4 pair, 1,0 m	P39837A5	138
Quante™ unshielded CBE - CBE Patch Cords, Cross Cabled Orange / grey polycarbonate shell, PVC Sheath - 4 pair, 2,0 m	P39838A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 0,5 m	P39362D5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 1,0 m	P39362F5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 2 pair, 2,0 m	P39362A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, LSOH Sheath - 568A cabling - 4 pair, 2,0 m	P39364A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 4 - 5 cabling - 1 pair, 1,0 m	P39829F5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 4 - 5 cabling - 1 pair, 2,0 m	P39829A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 0,5 m	P39824D5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 1,0 m	P39824A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 2 pair, 2,0 m	P39825A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 4 pair, 0,5 m	P39826D5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 568A cabling - 4 pair, 2,0 m	P39826A5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 7 - 8 cabling - 1 pair, 1,0 m	P39827F5	138
Quante™ unshielded CBE - RJ45 Patch Cords Grey / green polycarbonate shell, PVC Sheath - 7 - 8 cabling - 1 pair, 2,0 m	P39827A5	138
Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 1 pair, 1,0 m	P29320A5	138
Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 2 pair, 1,0 m	P29332F5	138
Quante™ unshielded CBE Patch Cords with circuit, PVC Sheath - 2 pair, 2,0 m	P29332A5	138
Quick Polish Cleave Button	VOL-0562J	39
<b>R</b> RJ11-2 contact wall mount socket	C211707A	157
RJ11-4 contact telephone socket with gel	C211732A	157
RJ11-4 contact telephone socket with gel	C211752A	157
RJ11-4 contact wall mount socket	C211739A	157
RJ11-6 contact wall mount socket with gel	C211754A	157
<b>S</b> SC adapter, 24x19x3mm	P33420AA	20
SC APC 8° Pigtail 9/125, single-mode Fibre	ADE00-AU0002	66
SC APC 9° Pigtail 9/125, single-mode Fibre	ABP00-AU0002	66
SC Coupling, multimode	6310	65
SC Coupling, single-mode	8310	65
SC Duplex Coupling, multimode	6313	65
SC Duplex Coupling, single-mode	8313	65
SC Pigtail 50/125, multimode Fibre	BDB00-ZK0002	66
SC Pigtail 50/125, multimode OM3	BDB00-ZO0002	66
SC Pigtail 62.5/125, single-mode Fibre	BDB00-AP0002	66
SC Pigtail 9/125, single-mode Fibre	ADA00-AU0002	66
SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	AEPEP-AT0001	83
SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	AEPEP-AT0002	83
SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	AEPEP-AT0003	83
SC/APC 8°-SC/PC 8° Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	AEPEP-AT0005	83
SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	AEPDA-AT0001	83
SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	AEPDA-AT0002	83
SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	AEPDA-AT0003	83
SC/APC 8°-SC/PC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	AEPDA-AT0005	83
SC/APC Coupling, single-mode	8310-G	65
SC/APC-Connector, single-mode, green boot	AEPGL-3	64
SC/APC-Connector, single-mode, green boot	8306-SC/APC	64
SC-Connector Crimplok, multimode, black boot	8900	64
SC-Connector Crimplok, single-mode, black boot	6900	64
SC-Connector Epoxy, single-mode, white boot	8306	64
SC-Connector Hot Melt, multimode, white boot	6300-W	64
SC-Connector Hot Melt, multimode, white boot	6300-W1K-S	64
SC-Connector Ultra High Temperature Hot Melt, single-mode, blue boot	8308-U1K	64
SC-Connector Ultra High Temperature Hot Melt, single-mode, blue boot	8308-U	64
Scissor kit for Impact tool	79027-524 00	131
SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	BDBDU-AX0001	81
SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	BDBDU-AX0002	81
SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	BDBDU-AX0003	81
SC-LC Patch cords, multimode, duplex, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	BDBDU-AX0005	81
SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 1 m	BDBDU-CB0001	81
SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 2 m	BDBDU-CB0002	81
SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 3 m	BDBDU-CB0003	81
SC-LC Patch cords, multimode, duplex, OM3, 50/125/2000µm, grey or orange jacket colour, zip cord, Length: 5 m	BDBDU-CB0005	81
SCQ Cabling Core in 1/Shielding in 2 Ivory	P45401AA	106
SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BDBDB-AX0001	79
SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BDBDB-AX0002	79
SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BDBDB-AX0003	79
SC-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BDBDB-AX0005	79
SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BDBDB-CB0001	79
SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BDBDB-CB0002	79

Type/Order Text	Ref.-No.	Page
SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BDBDB-CB0003	79
SC-SC Patch cords, multimode, duplex, OM3, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BDBDB-CB0005	79
SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	ADADA-AT0001	82
SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	ADADA-AT0002	82
SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	ADADA-AT0003	82
SC-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	ADADA-AT0005	82
Serial display plug/1 network line	C242628A	116
Serial test cord (3m)	M004723A	117
Serial test cord 4 wires with banana plugs	C222014B	116
Serial test cord 4 wires with banana plugs, silver coated	C222020B	116
Serial test plug (CKD)	M004725A	117
Serial test plug, 4 wires 1 plug + 4 cable terminals	MPA025DB	116
Set of 10 spare blades for STG system IDC tool	C234043A	117
Set of 2 x 2 metre backmount frame for Quante STG, 10 pair	C232280A	141
Set of 2 x 2 metre backmount frame for Quante STG, 8 pair	C232281A	141
Set of 5 vertical jumper rings 50 x 55 mm	P24940AA	141
SID 8xabs Disconnection module 8xabs with 2x4 left/right	79103-576 30	126
SID 8xabs disconnection module 8xabs with label holder	79103-577 30	126
SID Dust cover, flat, for 10-pair modules	15004-502 00	132
SID-C connection module for 10 pair	79101-553 00	122
SID-C connection module for 8 pair	79101-561 00	122
SID-C disconnection module for 10 pair	79103-534 00	122
SID-C disconnection module for 8 pair	79103-540 00	122
SID-C Dust cover, Pitch: 17.5 mm, 100 pair	15014-505 00	132
SID-C Dust cover, Pitch: 22.5 mm, 100 pair	15014-500 00	132
SID-C earthing module for 40 wires	79101-567 00	123
SID-C FlexiRail QRS	79096-562 25	145
SID-C FlexiRail QRS	79096-569 25	143
SID-C jelly filled version with dust cover for 10 pair	79101-553 35	122
SID-C jelly filled version with dust cover for 10 pair	79103-534 35	122
SID-C switching module for 10 pair	79105-500 00	123
SID-C switching module for 8 pair	79105-501 00	123
SID-CD connection strip for 10 pairs	79101-559 00	125
SID-CD connection strip for 20 pairs	79101-571 00	125
SID-CD connection strip for 8 pairs	79101-562 00	125
SID-CD disconnection strip for 10 pairs	79103-538 00	125
SID-CD disconnection strip for 20 pairs	79103-547 00	125
SID-CD disconnection strip for 8 pairs	79103-541 00	125
SID-comfort tool	79397-519 00	131
SID-CT connection module for 10 pair	79101-589 00	124
SID-CT connection module for 8 pair	79101-588 00	124
SID-CT disconnection module for 10 pair	79103-557 00	124
SID-CT disconnection module for 8 pair	79103-564 00	124
SID-CT earthing module for 40 wires	79101-591 00	124
SID-CT switching module for 10 pair	79105-503 00	124
SID-CT switching module for 8 pair	79105-502 00	124
SID-SPP 185 V/GFS	79104-507 00	129
SID-SPP 230 V/G	79104-505 00	129
SID-SPP 230 V/GS	79104-508 00	129
SID-SPP 230V / GSI	79104-511 00	129
SID-SPP 230V /G	79104-510 00	129
SID-SPP earthing rail SID-C	79114-542 00	129
SID-SPP earthing rail SID-CD	79114-544 00	129
SID-SPP earthing rail SID-CT	79114-557 00	129
SID-standard insertion tool	79397-512 00	131
Single pair protection plug, SOR PU 1C	C233796A	115
Single pair protection plug, SOR PU 2C	C233797A	115
Single pair protection plug, SOR PU 3C (varistors)	C233798A	115
Single pair protection plug, SOR PU 4C (diodes)	C233799A	115
Single-mode 9/125µm, FO-patch panel 12 ST	SPP3-E-1C-SP9	86
Single-mode 9/125µm with E2000-APC 8°, 12 Fibres	40395-511 30	96
Single-mode 9/125µm with SC-APC 8°, 12 Fibres	40395-514 45	96
Single-mode 9/125µm with SC-PC, 12 Fibres	40395-546 45	96
Single-mode, FO-patch panel 12 SC Duplex SM-Couplings	SPP3-E-1C-SS	85
Single-mode, FO-patch panel 24 SC Duplex SM-Couplings	SPP3-E-2C-SS	85
ST adapter, 24x19x3mm	P33425AA	20
ST connector - Crimplok - multimode, Grey boot	6901	62
ST connector - Crimplok - single-mode, Blue Boot	8901	62
ST connector - Epoxy - multimode, Black boot	6105-B	62
ST connector - Epoxy - multimode, Black boot	6105-B1K	62
ST connector - Epoxy - multimode, Red boot	6105-R	62
ST connector - Hot Melt - multimode, Black boot	6100-B	62
ST connector - Hot Melt - multimode, Black boot	6100-B1K	62
ST connector - Hot Melt - multimode, Red boot	6100-R	62

Type/Order Text	Ref.-No.	Page
ST connector - Hot Melt - multimode, Red boot	6100-R1K	62
ST connector - Hot Melt - multimode, White boot	6100-W1K	62
ST connector - Hot Melt - multimode, White boot	6100-W	62
ST connector - Hot Melt - single-mode, Yellow boot	8100-YS	62
ST connector Epoxy - single-mode, Blue boot	AAMUL3	62
ST connector Epoxy - single-mode, Yellow boot	8106	62
ST Coupling, multimode, for D hole mounting, spacer and union nut included	6112	63
ST Coupling, multimode, for D hole mounting, spacer and union nut included	6112-1K	63
ST Coupling, single-mode, for D hole mounting, spacer and union nut included	8119	63
ST Pigtail 50/125, multimode Fibre, green, easy strip	BAN00-ZK0002	63
ST Pigtail 62.5/125, multimode Fibre, blue, easy strip	BNA00-AP0002	63
ST Pigtail 9/125, single-mode Fibre, yellow, easy strip	AAM00-AU0002	63
STB boxes with 10 pair protection magazine and earth cord	C233888A	154
STB C2 10	C227322A	154
STB C2 10 P	C227336A	154
STB C2 20	C227323A	154
STB C2 20 P	C227337A	154
STB C2 30	C227342B	154
STB C2 40	C227344B	154
STB C2 5	C227355A	154
STB C2 50	C227346B	154
STB S2 10 P	C227367A	154
STB S2 20 P	C227368A	154
STF box, 100 pair	C226022A	154
STF box, 160 pair	C226021A	154
STF box, 200 pair	C226023A	154
STF box, 80 pair	C226020A	154
Storage kit,160x100x38mm	P33415AA	20
Straight channel wire guide for 8-pairs	P44902DR	109
ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BANDB-AX0001	80
ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BANDB-AX0002	80
ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BANDB-AX0003	80
ST-SC Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BANDB-AX0005	80
ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	AAMDA-AT0001	82
ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	AAMDA-AT0002	82
ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	AAMDA-AT0003	82
ST-SC Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	AAMDA-AT0005	82
ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 1 m	BANAN-AX0001	79
ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 2 m	BANAN-AX0002	79
ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 3 m	BANAN-AX0003	79
ST-ST Patch cords, multimode, duplex, 50/125µm, grey or orange jacket colour, zip cord, Length: 5 m	BANAN-AX0005	79
ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 1 m	AAMAM-AT0001	82
ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 2 m	AAMAM-AT0002	82
ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 3 m	AAMAM-AT0003	82
ST-ST Patch cords, single-mode, simplex, 9/125µm, yellow jacket colour, Length: 5 m	AAMAM-AT0005	82
Surge arresters for protection magazine and tool 3-pole arrester with fail-safe, 250 V	C231039A	115
Surge arresters for protection magazine and tool 3-pole arrester with fail-safe, 350 V	C231040A	115
Switching adapter for 1 pair	79058-502 00	132
Switching adapter for 10 pair	79058-503 00	132
<b>T</b> T&B Cleaver	80-6105-7226-7	78
Termination support device, Base 10	MPA0780A	117
Termination support device, Base 8	MPA078BA	117
Test cord, 2-poles	79054-552 00	130
Test cord, flex, 4-poles	79054-567 00	130
Test plug kit, 4-poles	79096-533 00	130
Token Ring-Numeris / Token Ring-Numeris 8-pin	P29324BA	25
Token Ring-Numeris / Token Ring-Numeris 9-pin	P29325BA	25
Tool Pouch	VOL-0562M	38
Tubing Kit	DE-0100-0900-4	75
<b>U</b> UHT Consumeable kit	6365-CU	72
Universal connector holder	6365-UH	74
Universal Hotmelt Termination Kit	6361	71
<b>V</b> VF-45 Cleaning Fluid	VOL-0570A	40
VF-45 Field Mount Plug Activation Tool	VOL-0563A	37
VF-45 Field Mount Plug, 50/125µm	VOL-FMP512	37
VF-45 Field Mount Plug, 62,5/125µm	VOL-FMP612	37
VF-45 Maintenance Cleaning Kit	VOL-0573	40
VF-45 Mechanical Plug Cleaner	VOL-0570B	40
VF-45 Quick Install Termination Kit	VOL-0563	38
VF-45 Socket, Multimode	VOL-0001	37
VF-45 Socket, Single-mode	VOL-0002	37
VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 1 m	VOL-L5L1	54
VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 1,5 m	VOL-L5L1,5	54
VF-45™-Connector to LC-Connector, 50/125µm, LSZH, Length: 2 m	VOL-L5L2	54



Type/Order Text	Ref.-No.	Page
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 1 m	VOL-V5L1	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 1,5 m	VOL-V5L1,5	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 15 m	VOL-V5L15	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 2 m	VOL-V5L2	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 3 m	VOL-V5L3	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 30 m	VOL-V5L30	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 5 m	VOL-V5L5	54
VF-45™-Connector to VF-45™-Connector, 50/125µm, LSZH, Length: 8 m	VOL-V5L8	54
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 1 m	VOL-V6L1	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 1,5 m	VOL-V6L1,5	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 15 m	VOL-V6L15	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 2 m	VOL-V6L2	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 3 m	VOL-V6L3	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 30 m	VOL-V6L30	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 5 m	VOL-V6L5	55
VF-45™-Connector to VF-45™-Connector, 62,5/125µm, LSZH, Length: 8 m	VOL-V6L8	55
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 1 m	VOL-V9L1	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 1,5 m	VOL-V9L1,5	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 15 m	VOL-V9L15	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 2 m	VOL-V9L2	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 3 m	VOL-V9L3	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 30 m	VOL-V9L30	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 5 m	VOL-V9L5	56
VF-45™-Connector to VF-45™-Connector, 9/125µm, LSZH, Length: 8 m	VOL-V9L8	56
VF-45v-Connector to ST-Connector, 9/125µm, LSZH, Length: 1,5 m	VOL-T9L1,5	56
VKA 12 / DIN	52-302-00300	151
VKA 2 / SID-C	52-300-00025	152
VKA 2 /DIN	52-300-00000	151
VKA 2/GF for 24 splice connections	52-303-00030	90
VKA 2/GF-EFM for 12 splice connections	52-303-00000	91
VKA 3 K	50-100-00300	148
VKA 4 / DIN	52-302-00100	151
VKA 4/GF for 48 splice connections	52-303-00100	92
VKA 8 / DIN	52-302-00200	151
VKA 8/GF for 96 splice connections	52-303-00200	92
VKA lock kit Q15	52096-526 00	91
VKA lock kit Q2	52096-523 00	91
VKA lock kit Q3	52096-521 00	91
VKA-Monitoring switch	52096-519 00	91
VKA-Monitoring switch	52096-519 00	90
VKA-Monitoring switch	52096-519 00	92
VKK 1	50-510-11000	147
VKK 2	50-520-01000	147
VKK 3	50-540-01000	147
Voition™ 19" x 2U x 50 Box for 7 x RJ45 50x50 Giga Outlets	P28070AA	21
Voition™ 19" x 2U x 50 Box for 8 x RJ45 45x45 Giga Outlets	P33120AA	21
Voition™ 19" x 2U x 8 Plate for 8 x RJ45 Giga Outlets	27181200	21
Voition™ 19" x 1U Patch Panel, 24 ports, Qmax, single shield	43018-678 30	19
Voition™ 19" x 1U Patch Panel, 24 ports, Qmax, total shield	43018-684 30	19
Voition™ 19"x 1U x 100mm Patch Panel, 24 ports, Giga, black alu	P33375AA	19
Voition™ 19" x 1U x 100mm Patch Panel, 24 ports, Giga, brushed alu	P33275AA	19
Voition™ 19"x 1U x 70mm Patch Panel, 16 ports, Giga, black alu	P33355AA	19
Voition™ 19"x 1U x 70mm Patch Panel, 16 ports, Giga, brushed alu	P33255AA	19
Voition™ 19"x 2U x 100mm Patch Panel, 32 ports, Giga, black alu	P33365AA	19
Voition™ 19"x 2U x 100mm Patch Panel, 32 ports, Giga, brushed alu	P33265AA	19
Voition™ 19"x 2U x 130mm Patch Panel, 48 ports, Giga, black alu	P33385AA	19
Voition™ 19"x 2U x 130mm Patch Panel, 48 ports, Giga, brushed alu	P33285AA	19
Voition™ 19" x1U Patch Panel Category 3, SID, 25 ports, black	VOL-PP3B-25P	155
Voition™ 19" x1U Patch Panel Category 3, SID, 25 ports, grey	VOL-PP3B-25P	155
Voition™ 19" x1U Patch Panel Category 3, SID, 28 ports, black	VOL-PP3B-28P	155
Voition™ 19" x1U Patch Panel Category 3, SID, 50 ports, grey	VOL-PP3G-50P	155
Voition™ 19" x1U Patch Panel Category 3, SID, 56 ports, black	VOL-PP3B-56P	155
Voition™ 22,5x45 Faceplate, 1 port, keystone, white	VOL-FP2M-F1K	10
Voition™ 22,5x45mm Half Cover	P28251AA	23
Voition™ 45x45 Faceplate, 1 port, keystone, white	VOL-FP4M-F1K	10
Voition™ 45x45 Faceplate, 2 ports, keystone, white	VOL-FP4M-F2K	10
Voition™ 45x45mm Full Cover	P28250AA	23
Voition™ 50x50 mm Full Cover	12391500	24
Voition™ 65x65x48 Surface Mounted Single Box, RAL 9011	P28410AA	24
Voition™ American Faceplate for 2 x RJ45 Giga Jacks	P28363AA	18
Voition™ American Faceplate for 2 x RJ45 Giga Jacks	VOL-F5V2R1COW	18
Voition™ American Faceplate for 4 x RJ45 Giga Jacks	P28366AA	18
Voition™ American Faceplate for 4 x RJ45 Giga Jacks	P28366AA	18
Voition™ Blanking Plug, keystone, black	VOL-0300BK	14

Type/Order Text	Ref.-No.	Page
Volition™ Blanking Plug, keystone, white	VOL-0300	14
Volition™ Cat 5 Backbone Cable, FTP, LSOH, 32 pairs, 1 m	VOL-5EFL32-M	30
Volition™ Cat 5 Backbone Cable, UTP, PVC, 25 pairs, 1 m	VOL-5UP25-M	30
Volition™ Cat 5 Backbone Cable, UTP, PVC, 50 pairs, 1 m	VOL-5UP50-M	30
Volition™ Cat 5e Cable, FTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-5EFL8-1000	28
Volition™ Cat 5e Cable, FTP, LSOH, 2x4 pairs, 500 m Drum	VOL-5EFL8-500	28
Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 1000 m Drum	VOL-5EFL4-1000	28
Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 305 m Box	VOL-5EFL4-305	28
Volition™ Cat 5e Cable, FTP, LSOH, 4 pairs, 500 m Drum	VOL-5EFL4-500	28
Volition™ Cat 5e Cable, FTP, PVC, 4 pairs, 1000 m Drum	VOL-5EFP4-1000	28
Volition™ Cat 5e Cable, FTP, PVC, 4 pairs, 305 m Box	VOL-5EFP4-305	28
Volition™ Cat 5e Cable, UTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-5EUL8-1000	28
Volition™ Cat 5e Cable, UTP, LSOH, 4 pairs, 1000 m Drum	VOL-5EUL4-1000	28
Volition™ Cat 5e Cable, UTP, LSOH, 4 pairs, 305 m Box	VOL-5EUL4-305	28
Volition™ Cat 5e Cable, UTP, PVC, 2x4 pairs, 1000 m Drum	VOL-5EUP8-1000	28
Volition™ Cat 5e Cable, UTP, PVC, 4 pairs, 1000 m Drum	VOL-5EUP4-1000	28
Volition™ Cat 5e Cable, UTP, PVC, 4 pairs, 305 m Box	VOL-5EUP4-305	28
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m	VOL-5EFL-L0.5	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, blue	VOL-5EFL-L0.5-B	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, green	VOL-5EFL-L0.5-GR	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, red	VOL-5EFL-L0.5-R	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 0,5 m, yellow	VOL-5EFL-L0.5-Y	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m	VOL-5EFL-L1	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, blue	VOL-5EFL-L1-B	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, green	VOL-5EFL-L1-GR	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, red	VOL-5EFL-L1-R	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 1 m, yellow	VOL-5EFL-L1-Y	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m	VOL-5EFL-L2	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, blue	VOL-5EFL-L2-B	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, green	VOL-5EFL-L2-GR	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, red	VOL-5EFL-L2-R	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 2 m, yellow	VOL-5EFL-L2-Y	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m	VOL-5EFL-L3	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, blue	VOL-5EFL-L3-B	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, green	VOL-5EFL-L3-GR	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, red	VOL-5EFL-L3-R	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 3 m, yellow	VOL-5EFL-L3-Y	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m	VOL-5EFL-L5	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, blue	VOL-5EFL-L5-B	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, green	VOL-5EFL-L5-GR	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, red	VOL-5EFL-L5-R	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, FTP, LSOH, 5 m, yellow	VOL-5EFL-L5-Y	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 0,5 m	VOL-5ESFL-L0.5	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 1 m	VOL-5ESFL-L1	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 2 m	VOL-5ESFL-L2	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 3 m	VOL-5ESFL-L3	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, SFTP, LSOH, 5 m	VOL-5ESFL-L5	36
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m	VOL-5EUL-L0.5	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, blue	VOL-5EUL-L0.5-B	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, green	VOL-5EUL-L0.5-GR	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, red	VOL-5EUL-L0.5-R	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, yellow	VOL-5EUL-L0.5-Y	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m	VOL-5EUL-L1	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, blue	VOL-5EUL-L1-B	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, green	VOL-5EUL-L1-GR	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, red	VOL-5EUL-L1-R	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, yellow	VOL-5EUL-L1-Y	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m	VOL-5EUL-L2	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, blue	VOL-5EUL-L2-B	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, green	VOL-5EUL-L2-GR	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, red	VOL-5EUL-L2-R	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, yellow	VOL-5EUL-L2-Y	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m	VOL-5EUL-L3	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, blue	VOL-5EUL-L3-B	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, green	VOL-5EUL-L3-GR	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, red	VOL-5EUL-L3-R	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, yellow	VOL-5EUL-L3-Y	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m	VOL-5EUL-L5	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, blue	VOL-5EUL-L5-B	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, green	VOL-5EUL-L5-GR	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, red	VOL-5EUL-L5-R	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, yellow	VOL-5EUL-L5-Y	35
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 0,5 m	VOL-5EUP-L0.5	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 1 m	VOL-5EUP-L1	34

Type/Order Text	Ref.-No.	Page
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 2 m	VOL-5EUP-L2	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 3 m	VOL-5EUP-L3	34
Volition™ Cat 5e RJ45 to RJ45 Patch Cable, UTP, PVC, 5 m	VOL-5EUL-L5	34
Volition™ Cat 6 Cable, FFTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-6FFL8-1000	29
Volition™ Cat 6 Cable, FFTP, LSOH, 2x4 pairs, 500 m Drum	VOL-6FFL8-500	29
Volition™ Cat 6 Cable, FFTP, LSOH, 4 pairs, 1000 m Drum	VOL-6FFL4-1000	29
Volition™ Cat 6 Cable, FFTP, LSOH, 4 pairs, 500 m Drum	VOL-6FFL4-500	29
Volition™ Cat 6 Cable, FTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-6FL8-1000	29
Volition™ Cat 6 Cable, FTP, LSOH, 2x4 pairs, 500 m Drum	VOL-6FL8-500	29
Volition™ Cat 6 Cable, FTP, LSOH, 4 pairs, 1000 m Drum	VOL-6FL4-1000	29
Volition™ Cat 6 Cable, FTP, LSOH, 4 pairs, 500 m Drum	VOL-6FL4-500	29
Volition™ Cat 6 Cable, FTP, PVC, 4 pairs, 1000 m Drum	VOL-6FP4-1000	29
Volition™ Cat 6 Cable, UTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-6UL8-1000	29
Volition™ Cat 6 Cable, UTP, LSOH, 4 pairs, 1000 m Drum	VOL-6UL4-1000	29
Volition™ Cat 6 Cable, UTP, LSOH, 4 pairs, 305 m Box	VOL-6UL4-305	29
Volition™ Cat 6 Cable, UTP, PVC, 2x4 pairs, 1000 m Drum	VOL-6UP8-1000	29
Volition™ Cat 6 Cable, UTP, PVC, 4 pairs, 1000 m Drum	VOL-6UP4-1000	29
Volition™ Cat 6 Cable, UTP, PVC, 4 pairs, 305 m Box	VOL-6UP4-305	29
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5 m	VOL-6SSL-L0.5	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, blue	VOL-6SSL-L0.5-B	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, green	VOL-6SSL-L0.5-GR	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, red	VOL-6SSL-L0.5-R	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, white	VOL-6SSL-L0.5W	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 0,5m, yellow	VOL-6SSL-L0.5-Y	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1 m	VOL-6SSL-L1	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, blue	VOL-6SSL-L1-B	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, green	VOL-6SSL-L1-GR	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, red	VOL-6SSL-L1-R	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, white	VOL-6SSL-L1W	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 1m, yellow	VOL-6SSL-L1-Y	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2 m	VOL-6SSL-L2	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, blue	VOL-6SSL-L2-B	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, green	VOL-6SSL-L2-GR	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, red	VOL-6SSL-L2-R	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, white	VOL-6SSL-L2W	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 2m, yellow	VOL-6SSL-L2-Y	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3 m	VOL-6SSL-L3	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, blue	VOL-6SSL-L3-B	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, green	VOL-6SSL-L3-GR	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, red	VOL-6SSL-L3-R	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, white	VOL-6SSL-L3W	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 3m, yellow	VOL-6SSL-L3-Y	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5 m	VOL-6SSL-L5	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, blue	VOL-6SSL-L5-B	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, green	VOL-6SSL-L5-GR	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, red	VOL-6SSL-L5-R	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, white	VOL-6SSL-L5W	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, SSTP, LSOH, 5m, yellow	VOL-6SSL-L5-Y	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m	VOL-6UL-L0.5	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, blue	VOL-6UL-L0.5B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, green	VOL-6UL-L0.5G	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, red	VOL-6UL-L0.5R	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5 m, yellow	VOL-6UL-L0.5Y	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 0,5m, black	VOL-6UP-L0.5-BK	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m	VOL-6UL-L1	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, blue	VOL-6UL-L1B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, green	VOL-6UL-L1G	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, red	VOL-6UL-L1R	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, white	VOL-6UL-L1W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1 m, yellow	VOL-6UL-L1Y	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1,5 m, white	VOL-6UL-L1.5W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1,5m, blue	VOL-6UL-L1,5B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 10 m, white	VOL-6UL-L10W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 1m, black	VOL-6UP-L1-BK	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m	VOL-6UL-L2	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, blue	VOL-6UL-L2B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, green	VOL-6UL-L2G	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, red	VOL-6UL-L2R	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, white	VOL-6UL-L2W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2 m, yellow	VOL-6UL-L2Y	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 2m, black	VOL-6UP-L2-BK	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m	VOL-6UL-L3	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, blue	VOL-6UL-L3B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, green	VOL-6UL-L3G	33

Type/Order Text	Ref.-No.	Page
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, red	VOL-6UL-L3R	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, white	VOL-6UL-L3W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3 m, yellow	VOL-6UL-L3Y	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 3m, black	VOL-6UP-L3-BK	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m	VOL-6UL-L5	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, blue	VOL-6UL-L5B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, green	VOL-6UL-L5G	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, red	VOL-6UL-L5R	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, white	VOL-6UL-L5W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5 m, yellow	VOL-6UL-L5Y	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 5m, black	VOL-6UP-L5-BK	32
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 7 m, blue	VOL-6UL-L7B	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, LSOH, 7 m, white	VOL-6UL-L7W	33
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 0,5 m	VOL-6UP-L0.5	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 1 m	VOL-6UP-L1	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 2 m	VOL-6UP-L2	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 3 m	VOL-6UP-L3	31
Volition™ Cat 6 RJ45 to RJ45 Patch Cable, UTP, PVC, 5 m	VOL-6UP-L5	31
Volition™ Cat 7 Cable, SFTP, LSOH, 2x4 pairs, 1000 m Drum	VOL-7SSL8-1000	30
Volition™ Cat 7 Cable, SFTP, LSOH, 2x4 pairs, 500 m Drum	VOL-7SSL8-500	30
Volition™ Cat 7 Cable, SFTP, LSOH, 4 pairs, 1000 m Drum	VOL-7SSL4-1000	30
Volition™ Cat 7 Cable, SFTP, LSOH, 4 pairs, 500 m Drum	VOL-7SSL4-500	30
Volition™ Classic Patch Panel, 16 ports, keystone, black alu	VOL-PPCB-F16K	13
Volition™ Classic Patch Panel, 16 ports, keystone, brushed alu	VOL-PPCA-F16K	13
Volition™ Classic Patch Panel, 24 ports, keystone, black alu	VOL-PPCB-F24K	13
Volition™ Classic Patch Panel, 24 ports, keystone, brushed alu	VOL-PPCA-F24K	13
Volition™ Classic Patch Panel, 32 ports, keystone, black alu	VOL-PPCB-F32K	13
Volition™ Classic Patch Panel, 32 ports, keystone, brushed alu	VOL-PPCA-F32K	13
Volition™ Classic Patch Panel, 48 ports, keystone, black alu	VOL-PPCB-F48K	13
Volition™ Classic Patch Panel, 48 ports, keystone, brushed alu	VOL-PPCA-F48K	13
Volition™ Classic U.K. Faceplate, 1 port, Giga	VOL-FPUK-1G	18
Volition™ Classic U.K. Faceplate, 2 ports, Giga	VOL-FPUK-2G	18
Volition™ Colour Port Cover, white	P33182AA	20
Volition™ Double Surface Mounted Box, 185x120x60 for 2x3 sockets	P28463AA	23
Volition™ Double Surface Mounted Box, 185x120x60 for 2x3 sockets	P28610AA	24
Volition™ Double Surface Mounted Box, 275x120x60 for 2x5 sockets	P28465AA	23
Volition™ Double Surface Mounted Box, 275x120x60 for 2x5 sockets	P28611AA	24
Volition™ Double Surface Mounted Box, 365x120x60 for 2x7 sockets	P28467AA	23
Volition™ Double Surface Mounted Box, 365x120x60 for 2x7 sockets	P28612AA	24
Volition™ Economic Patch Panel, double plate, 24 ports, UTP, keystone, black alu	VOL-PPUD-F24K	13
Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, beige	VOL-SGFB-W2K2	11
Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, central fixing, beige	VOL-SGFCB-W2K2	11
Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, central fixing, white	VOL-SGFCW-W2K2	11
Volition™ Flush mounted Socket equipped with 2 x RJ45 K6 Jacks, white	VOL-SGFW-W2K2	11
Volition™ Flush mounted Socket, 2 ports, central fixing, Qmax III, RAL1013, beige	60-516-08200	17
Volition™ Flush mounted Socket, 2 ports, central fixing, Qmax III, RAL9010, white	60-516-08225	17
Volition™ Flush mounted Socket, 2 ports, central fixing, shielded, Qmax III, RAL1013, beige	60-516-07700	17
Volition™ Flush mounted Socket, 2 ports, central fixing, shielded, Qmax III, RAL9010, white	60-516-07725	17
Volition™ Flush mounted Socket, 2 ports, Qmax III, RAL1013, beige	60-516-08300	17
Volition™ Flush mounted Socket, 2 ports, Qmax III, RAL9010, white	60-516-08325	17
Volition™ Flush mounted Socket, 2 ports, shielded, Qmax III, RAL1013, beige	60-516-07800	17
Volition™ Flush mounted Socket, 2 ports, shielded, Qmax III, RAL9010, white	60-516-07825	17
Volition™ German Flush mounted 50x50 Faceplate, 2 ports, Giga, RAL1013, beige	60-516-04600	17
Volition™ German Flush mounted 50x50 Faceplate, 2 ports, Giga, RAL9010, white	60-516-04625	17
Volition™ German Patch Panel, 24 ports, keystone, brushed alu	VOL-PPGA-W24K	13
Volition™ German Patch Panel, 24 ports, keystone, brushed alu, with cover	VOL-PGCA-W24K	13
Volition™ Insulating Partition (ABS), 39,5x72,5x2mm	P28693AA	23
Volition™ Lid for Surface Mounted Box, RAL 9011, 150x80x9.5 mm	P28691AA	22
Volition™ Lid for Surface Mounted Box, RAL 9011, 205x80x9.5mm	P28696AA	22
Volition™ Module Support	P28692AA	22
Volition™ Port Identification Bezel, Giga, Blue	P33240BE	20
Volition™ Port Identification Bezel, Giga, Green	P33240VE	20
Volition™ Port Identification Bezel, Giga, Red	P33240RE	20
Volition™ Port Identification Bezel, Giga, Yellow	P33240JA	20
Volition™ Port Identification Bezel, keystone, Black	VOL-PCC-BK	14
Volition™ Port Identification Bezel, keystone, Blue	VOL-PCC-B	14
Volition™ Port Identification Bezel, keystone, Green	VOL-PCC-G	14
Volition™ Port Identification Bezel, keystone, Orange	VOL-PCC-O	14
Volition™ Port Identification Bezel, keystone, Red	VOL-PCC-R	14
Volition™ Port Identification Bezel, keystone, White	VOL-PCC-W	14
Volition™ Port Identification Bezel, keystone, Yellow	VOL-PCC-Y	14
Volition™ RJ45 Giga Jack, 22,5x45 mm	P28753AB	16
Volition™ RJ45 Giga Jack, 45x45 mm	P28756AB	16
Volition™ RJ45 Giga Jack, Cat 5e , UTP, light grey	P28770AB	15

Type/Order Text	Ref.-No.	Page
Volition™ RJ45 Giga Jack, Cat 5e, FTP, light grey	P28771AB	15
Volition™ RJ45 Giga Jack, Cat 5e, STP, light grey and metallic shield	P28772AB	15
Volition™ RJ45 K5e Jack, Cat 5e, FTP, black	VOL-OCK5E-F-BK	9
Volition™ RJ45 K5e Jack, Cat 5e, FTP, white	VOL-OCK5E-F	9
Volition™ RJ45 K5e Jack, Cat 5e, FTP, white , bulk	VOL-OCK5E-FB	9
Volition™ RJ45 K5e Jack, Cat 5e, STP, white & metallic shield	VOL-OCK5E-S	9
Volition™ RJ45 K5e Jack, Cat 5e, STP, white and metallic shield, bulk	VOL-OCK5E-SB	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, almond	VOL-OCK5E-U-AL	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, almond, bulk	VOL-OCK5E-UB-AL	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, black	VOL-OCK5E-U-BK	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, black, bulk	VOL-OCK5E-UB-BK	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, blue	VOL-OCK5E-U-BL	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, blue, bulk	VOL-OCK5E-UB-BL	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, green	VOL-OCK5E-U-G	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, orange	VOL-OCK5E-U-O	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, orange , bulk	VOL-OCK5E-UB-O	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, red	VOL-OCK5E-U-R	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, white	VOL-OCK5E-UB	9
Volition™ RJ45 K5e Jack, Cat 5e, UTP, yellow	VOL-OCK5E-U-Y	9
Volition™ RJ45 K6 Jack, Cat 6, UTP, white	VOL-OCK5E-U	9
Volition™ shielded cover for RJ45 Keystone jacks	VOL-SCOCK-B	9
Volition™ Simple Surface Mounted Box, 140x80x48 for 2 sockets	P28452AA	23
Volition™ Simple Surface Mounted Box, 155x80x48 for 2 sockets	267585VA	24
Volition™ Simple Surface Mounted Box, 230x80x48 for 4 sockets	P28454AA	23
Volition™ Simple Surface Mounted Box, 255x80x48 for 4 sockets	267575VA	24
Volition™ Simple Surface Mounted Box, 365x80x48 for 7 sockets	267576VA	24
Volition™ Simple Surface Mounted Box, 365x80x48 for 7 sockets	P28457AA	23
Volition™ Single Box, RAL 9011, 65x65x48 mm, Surface mounted	P28420AA	22
Volition™ Single Gang Faceplate, 2 ports, keystone, bright white	VOL-0712B	10
Volition™ Single Gang Faceplate, 2 ports, keystone, office white	VOL-0712	10
Volition™ Single Gang Faceplate, 4 ports, keystone, bright white	VOL-0714B	10
Volition™ Single Gang Faceplate, 4 ports, keystone, office white	VOL-0714	10
Volition™ Stylish U.K. Faceplate, 2 ports, Giga	P28295AA	18
Volition™ Support for 4 x RJ45 K5e or K6 Jacks, keystone, brushed alu	VOL-SA-F4K	14
Volition™ Surface Mounted Box, RAL 9011, 150x80x42 mm	P28690AA	22
Volition™ Surface Mounted Box, RAL 9011, 205x80x42 mm	P28695AA	22
Volition™ Swiss Faceplate, 2 ports, Giga	P28740AA	18
Volition™ U.K. Faceplate for 50x50 Socket, Giga	P28240AA	18
Volition™ U.K. Single Gang Faceplate, 1 port, keystone, white	VOL-FPUK-1K	10
Volition™ U.K. Single Gang Faceplate, 2 ports, keystone, white	VOL-FPUK-2K	10
VOL-N100VF+TX, 2Port, 10/100MB NIC, PCI Bus	VOL-N100VF+TX	59
VOL-N100VF+TX-R, 2Port, 10/100MB NIC, PCI Bus	VOL-N100VF+TX-R	59
<b>W</b> Wall mount support for 1 backmount frame	P6008AAA	141
Wall mount support for 2 backmount frame	P6093AAA	141
Wall Outlet for 2 x VF-45 Socket, Plastic, cream, similar to RAL 1013, Size (H x W x D): 80 x 80 x 28 mm	VOL-0255C	41
Wall Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size (H x W x D): 80 x 80 x 28 mm	VOL-0255W	41
Wall Outlet for 2 x VF-45 Socket, Plastic, white, similar to RAL 9010, Size (H x W x D): 86 x 86 x 28 mm	VOL-0256W	41
Wall Patch Panel, 12 Ports, 24 Fibre	VOL-0412B	42
Wall Patch Panel, 24 Ports, 48 Fibre	VOL-0424B	42
Wall Patch Panel, 6 Ports, 12 Fibre	VOL-0406B	42
WBS 550 mm	41096-568 25	144
WBS 550 mm	41096-568 25	145
WBS 550 mm	41096-568 25	143
WBS 750 mm	41096-569 25	144
WBS 750 mm	41096-569 25	145
WBS 750 mm	41096-569 25	143
Weight for polishing jig, handpolish, HotMelt LC	6650-JW	74
Wire Guide Hooks SID-C	52096-533 00	151



# *important* important Notice

3M does not accept responsibility or liability, direct or consequential, arising from reliance upon any information provided and the user should determine the suitability of the products for their intended use.

Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence.

All questions of liability relating to 3M products are governed by the seller's terms of sale subject where applicable to the prevailing law.

If any goods supplied or processed by or on behalf of 3M prove on inspection to be defective in material or workmanship, 3M will (at its option) replace the same or refund to the Buyer the price of the goods or services.

Except as set out above, all warranties and conditions, whether expressed or implied, statutory or otherwise are excluded to the fullest extent permissible at law.

3M, Volition, VF-45, Crimplok, Fibrok, Lightlinker, MS<sup>2</sup>, Scotch, Scotchcal, ScotchCode, Scotchfil, Scotchkote, Scotchlite, Scotchlok, ScotchMark, Scotchmate, ScotchPad, Scotchrap and SliC are trademarks of 3M.

Quante, SID and ID 3000 are trademarks of Quante AG.

ST and Accuribbon are registered trademarks of Lucent Technologies.

E2000 is a registered trademark of Diamond.

LSA-PLUS is a registered trademark of Krone.

## **3M**

### **3M Telecommunications**

Europe, Middle East & North Africa

c/o Quante AG

Carl-Schurz-Straße 1 · 41453 Neuss · Germany

Tel: ++49 (0)2131 / 14-5999

Fax: ++49 (0)2131 / 14-5998

Internet: [www.3MTelecommunications.com](http://www.3MTelecommunications.com)